





PART #	PAPER & RUBBER KIT	QTY.	REFERENCE #
30000A	Paper & Rubber Kit, MPZA 1995-97	1	
30000C	Paper & Rubber Kit, M6HA / BAXA / MAXA / MDWA 1997-Up (Prelude 1997-00) (Accord 4 Cylinder 1998-02, Odyssey 1998) (Isuzu Oasis 1998-99)	1	

PART #	OVERHAUL KITS	QTY.	REFERENCE #
30002A	Overhaul Kit, MPZA 1995-97	1	
30002CP	Overhaul Kit, BAXA / B6VA / MAXA / MDWA / M6HA 1997-02 (Prelude 1997-01) (Accord 4 Cylinder 1998-02, Odyssey 1998) (Isuzu Oasis 1998-99)(Acura 2.3CL 1998-99)(With Bonded Pistons For BAXA/B6VA/MAXA)	1	

PART #	MASTER L/STEEL KIT	QTY.	REFERENCE #
30004A	Master L/Steels Kit, MPZA (Accord With V-6) 1995-97	1	
30004CP	Master L/Steels Kit, BAXA/B6VA/MAXA/MDWA/M6HA 1997-02 (With Bonded Pistons For BAXA/B6VA)	1	

PART #	MASTER W/STEEL KIT	QTY.	REFERENCE #
30006A	Master W/Steels Kit, MPZA (Accord With V-6) 1995-96	1	
30006CP	Master W/Steels Kit, BAXA/B6VA/MAXA/MDWA/M6HA 1997-02 (With Bonded Pistons For BAXA/B6VA)	1	

PART #	FILTER	QTY.	REFERENCE #
30010A	Filter, MPZA 1995-97	1	25420-POZ-000
30010D	Filter, BAXA / MAXA / B6VA / M6HA / MDWA	1	



70018C	Screen, BAXA / MAXA / B6VA / M6HA / MDWA (Some) (In Valve Body) (.570"OD) (.125" Thick Rubber Boot)	1	
70018CA	Screen, BAXA / MAXA / B6VA / M6HA / MDWA (Some) (In Valve Body) (.662"OD) (.315" Thick Rubber Boot)	1	

PART #	BUSHINGS	QTY.	REFERENCE #
30030A	Bushing Kit, B6VA/BAXA/M6HA/MPWA (Vigor)/MPZA (3 Pieces)	1	

PART #	METAL CLAD SEALS	QTY.	REFERENCE #
60070A	Seal, BAXA / MAXA / B6VA / M6HA Converter (44 x 68 x 8mm) Counter Clockwise Helix	1	
60072	Seal, BAXA / MAXA / B6VA / M6HA Manual Shaft	1	
80076	Seal, BAXA/MAXA/B6VA/M6HA Case	1	
30076A	Seal, MPZA Axle (Case Side) (35x54x8mm)	1	
60077E	Seal, MPZA Axle (Bell Housing Side) (38 x 54 x 8mm) 1988-Up	1	
60077H	Seal, BAXA / MAXA / B6VA / M6HA Axle (Bell Housing & Case Side) (40 x 56 x 9mm)	1	

PART #	FRICTION CLUTCH	QTY.	REFERENCE #
80100A	Friction, BAXA / B6VA / MAXA / MDWA / MGHA 3rd/4th Clutch (.076") 44 Teeth (Also Fits MPZA 2nd/3rd/4th Clutch)	3-15	
30104C	Friction, BAXA / B6VA / MAXA / MDWA / MGHA 2nd Clutch (.076") 44 Teeth (4.579"OD)	4-5	
30108A	Friction, MPZA 1st Clutch (.076") 49 Teeth	4	
30108C	Friction, BAXA / B6VA / MAXA / MDWA / MGHA / M6HA 1st Clutch (.076") 44 Teeth (4.570"OD) (Also Fits BAXA/B6VA/MAXA/MDWA/MGHA/M6HA 2nd Clutch)	5-6	
30114A	Friction, MPZA Low/Hold Clutch (.076") 44 Teeth	3	
30119A	Friction Module, B6VA / BAXA / MAXA / M6HA / MDWA	1	
30119AS1	Friction Module, MPZA 1995-97 (Stage 1)	1	

PART #	STEEL CLUTCH	QTY.	REFERENCE #
30120C	Steel, B6VA / BAXA / MAXA / M6HA 3rd Clutch (.102") 24 Teeth (3.70ID) (Use 80124)	3	
30120A	Steel, MPZA 2nd/3rd/4th Clutch (.079") 24 Teeth (3.677"ID) (Use 80128A)	4-13	
80120A	Steel, B6VA / BAXA / MAXA / MDWA / M6HA 4th Clutch (.091") 24 Teeth (3.70"ID)	3	
80124	Steel, B6VA / BAXA / MAXA / MDWA / M6HA 3rd Clutch (.102") 24 Teeth (3.70"ID)	3	
30124B	Steel, B6VA / MAXA / BAXA 2nd Clutch (.090") 24 Teeth (3.595"ID)	5	
30124F	Steel, M6HA 2nd Clutch (.062") 24 Teeth (3.595"ID)	6	
30128A	Steel, MPZA 1st Clutch (.079") 18 Teeth (4.070"ID)	4	
80128A	Steel, MPZA 2nd/3rd/4th Clutch (.079") 24 Teeth (3.677"ID)	4-13	
30128C	Steel, B6VA / BAXA / MAXA / M6HA 1st Clutch (.078") 24 Teeth (3.600"ID)	5	
30134A	Steel, MPZA Low / Hold Clutch (.069") 6 Teeth (3.680"ID)	2	
30134AA	Steel, MPZA Low / Hold Clutch (.078") 6 Teeth (3.680"ID)	AR	

PART #	CLUTCH PRESSURE PLATES	QTY.	REFERENCE #
80140AA	Pressure Plate, B6VA / BAXA / MAXA / M6HA 3rd/4th Clutch (#1 .082") (Also MPZA 2nd/3rd/4th Clutch)	1-3	
80140AB	Pressure Plate, B6VA / BAXA / MAXA / M6HA 3rd/4th Clutch (#2 .086") (Also MPZA 2nd/3rd/4th Clutch)	1-3	
80140AC	Pressure Plate, B6VA / BAXA / MAXA / M6HA 3rd/4th Clutch (#3 .090") (Also MPZA 2nd/3rd/4th Clutch)	1-3	
80140AD	Pressure Plate, B6VA / BAXA / MAXA / M6HA 3rd/4th Clutch (#4 .094") (Also MPZA 2nd/3rd/4th Clutch)	1-3	
80140AE	Pressure Plate, B6VA / BAXA / MAXA / M6HA 3rd/4th Clutch (#5 .098") (Also MPZA 2nd/3rd/4th Clutch)	1-3	
80140AF	Pressure Plate, B6VA / BAXA / MAXA / M6HA 3rd/4th Clutch (#6 .102") (Also MPZA 2nd/3rd/4th Clutch)	1-3	
80140AG	Pressure Plate, B6VA / BAXA / MAXA / M6HA 3rd/4th Clutch (#7 .106") (Also MPZA 2nd/3rd/4th Clutch)	1-3	
80140AH	Pressure Plate, B6VA / BAXA / MAXA / M6HA 3rd/4th Clutch (#8 .110") (Also MPZA 2nd/3rd/4th Clutch)	1-3	
80140AJ	Pressure Plate, B6VA / BAXA / MAXA / M6HA 3rd/4th Clutch (#9 .114") (Also MPZA 2nd/3rd/4th Clutch)	1-3	
30144B	Pressure Plate, B6VA / M6HA / MAXA / BAXA 1st/2nd Clutch (24 Teeth) (2.6mm) (3.595"ID)	1-2	
30144BA	Pressure Plate, B6VA / M6HA / MAXA / BAXA 1st/2nd Clutch (24 Teeth) (2.7mm) (3.595"ID)	1-2	
30144BB	Pressure Plate, B6VA / M6HA / MAXA / BAXA 1st/2nd Clutch (24 Teeth) (2.8mm) (3.595"ID)	1-2	
30144BC	Pressure Plate, B6VA / M6HA / MAXA / BAXA 1st/2nd Clutch (24 Teeth) (2.9mm) (3.595"ID)	1-2	
30144BD	Pressure Plate, B6VA / M6HA / MAXA / BAXA 1st/2nd Clutch (24 Teeth) (3.0mm) (3.595"ID)	1-2	
30144BE	Pressure Plate, B6VA / M6HA / MAXA / BAXA 1st/2nd Clutch (24 Teeth) (3.1mm) (3.595"ID)	1-2	
30144BF	Pressure Plate, B6VA / M6HA / MAXA / BAXA 1st/2nd Clutch (24 Teeth) (3.2mm) (3.595"ID)	1-2	
30144BG	Pressure Plate, B6VA / M6HA / MAXA / BAXA 1st/2nd Clutch (24 Teeth) (3.3mm) (3.595"ID)	1-2	
30144BH	Pressure Plate, B6VA / M6HA / MAXA / BAXA 1st/2nd Clutch (24 Teeth) (3.4mm) (3.595"ID)	1-2	
30148A	Pressure Plate, MPZA 1st Clutch (Selective) (18 Teeth)	1	
30148B	Pressure Plate, B6VA / M6HA / MAXA / BAXA 1st Clutch (Use 30144B-BH)	1	
30154A	Pressure Plate, MPZA Low/Hold Clutch (Stepped) (18 Teeth) (.197" Thick)	1	

PART #	WASHERS & BEARINGS	QTY.	REFERENCE #
30206A	Washer, BAXA/B6VA/MAXA/MDWA/MPZA/M6HA Under Secondary Shaft Nut (Also Under Mainshaft & Counter Shaft Nuts)	1-3	
30207A	Washer, MPZA / B6VA / BAXA / M6HA Under Mainshaft Shaft Nut (Use 30206A)	1	
30208A	Washer, MPZA / B6VA / BAXA / M6HA Under Countershaft Nut (Use 30206A)	1	
80209	Caged Needle Bearing, B6VA / BAXA / MAXA / M6HA Converter Reactor (Front) 1.040"OD	1	
80211	Ball Bearing, B6VA / BAXA / MAXA / M6HA Bell Housing To Converter (2.675"OD)	1	
90214C	Caged Needle Bearing, B6VA / M6HA / BAXA / MAXA Converter Reactor To Mainshaft (Rear) 1.115"OD (.695" Wide)	1	
30217A	Thrust Bearing, MPZA 3rd Gear To Mainshaft (.097" Thick) (2.900"OD)	2	
30217B	Thrust Bearing, BAXA / MAXA / M6HA 3rd Gear (Mainshaft) (2.860"OD) (.077" Thick)	2	
30220A	Caged Needle Bearing, MPZA 3rd Gear (Mainshaft) (2.285"OD) (.750" Thick)	1	
30220B	Caged Needle Bearing, B6VA / M6HA / BAXA / MAXA 3rd Gear (Mainshaft) (2.375"OD) (.690" Thick)	1	
30224A	Race, MPZA 3rd Gear (Mainshaft) (.193" Thick) (2.870"OD)	1	
30224B	Race, M6VA / BAXA / MAXA / M6HA 3rd Gear (Mainshaft) Stepped (2.835"OD)	1	
30225B	Collar W/Race, B6VA / BAXA / MAXA / M6HA 4th Gear (Mainshaft) (1.945"Long) (2.080"OD)	1	
30226B	Thrust Bearing, B6VA / BAXA / MAXA / M6HA 4th Gear (Mainshaft) & 2nd Gear (Secondary Shaft) (.097" Thick)	1-3	

PART #	WASHERS & BEARINGS (Continued)	QTY.	REFERENCE #
30229A	Caged Needle Bearing, MPZA 4th Gear (Mainshaft) (.770" Thick)	2	
30229B	Caged Needle Bearing, B6VA / BAXA / MAXA / M6HA 4th Gear (Mainshaft) (1.550"OD) (.693" Thick)	2	
30232A	Thrust Bearing, BAXA/B6VA/MAXA/MPZA/M76HA 4th Gear (Mainshaft) (1.800"OD)(.078" Thick)	1	
30233A	Race, MPZA 4th Gear (Mainshaft) (.530" Thick)	1	
30233B	Race, B6VA/BAXA/MAXA/M6HA 4th Gear To Ball Bearing (.194" Thick) (1.848"OD)	1	
30235A	Ball Bearing, MPZA Mainshaft To Case (SX05802NC3) (3.150"OD) (1.060"ID)	1	
30235B	Ball Bearing, M6HA / BAXA / MAXA / B6VA Mainshaft To Case (1.060" Thick) (2.365"OD)	1	
30238A	Ball Bearing, MPZA Secondary Shaft To Bell Housing (SX07C47)	1	
30238B	Roller Bearing, B6VA / BAXA / MAXA / M6HA Secondary Shaft To Bell Housing (.550" Thick) (SE-NK-34x46x14)	1	
30239A	Retainer, MPZA / B6VA / BAXA / MAXA / M6HA Horse Shoe Clips (Secondary Shaft) (1.740"OD)	1	
30240A	Race, MPZA / B6VA / BAXA / MAXA / M6HA 1st Gear (Secondary Shaft) (2.220"OD) (.275" Thick)	1	
30241A	Caged Needle Bearing, MPZA 1st Gear (Secondary Shaft) (.765" Thick) (1.695"OD)	1	
30241B	Caged Needle Bearing, B6VA / M6HA / BAXA / MAXA 1st Gear (Secondary Shaft) (1.708"OD) (1.124" Thick)	1	
30244A	Bearing, MPZA 1st Gear (Both Sides) (2.230"OD) (.098" Thick)	1	
30244B	Bearing, B6VA / M6HA / BAXA / MAXA 1st Gear (Secondary Shaft)(Both Sides) (2.233"OD)(.097" Thick)	1	
30247A	Race, MPZA 2nd Gear To Drum (Secondary Shaft) (2.155"OD) (.197" Thick)	1	
30251A	Caged Needle Bearing, MPZA 2nd Gear (Secondary Shaft) (1.083" Thick) (1.540"OD)	1	
30251B	Caged Needle Bearing, B6VA / M6HA / MAXA / BAXA 2nd Gear (Secondary Shaft) (1.540"OD) (.929" Wide)	1	
30252A	Race, MPZA 2nd Gear (Secondary Shaft) (.212" Thick) (2 ID Notches)	1	
30253A	Thrust Bearing, B6VA / BAXA / MAXA / M6HA 2nd Gear (Secondary Shaft) (.097" Thick) (Use 30226B)	2	
30254B	Roller Bearing, BAXA / MAXA / M6HA / B6VA Secondary Shaft To Case (2.637"OD) (.744" Thick)	1	
30255A	Ball Bearing, MPZA Secondary Shaft To Case (SCO6852NC3) (3.230"OD) (1.210"ID)	1	
30255B	Ball Bearing, M6HA / BAXA / MAXA / B6VA Secondary Shaft To Case (2.953"OD) (SCO5855NC)	1	
80258AA	Race, B6VA / BAXA / MAXA / M6HA 2nd Gear To 1st-2nd Drum (.159") With Inner Splines (Secondary Shaft)	1	
80258AB	Race, B6VA / BAXA / MAXA / M6HA 2nd Gear To 1st-2nd Drum (.161") With Inner Splines (Secondary Shaft)	1	
80258AC	Race, B6VA / BAXA / MAXA / M6HA 2nd Gear To 1st-2nd Drum (.163") With Inner Splines (Secondary Shaft)	1	
80258AD	Race, B6VA / BAXA / MAXA / M6HA 2nd Gear To 1st-2nd Drum (.165") With Inner Splines (Secondary Shaft)	1	
80258AE	Race, B6VA / BAXA / MAXA / M6HA 2nd Gear To 1st-2nd Drum (.167") With Inner Splines (Secondary Shaft)	1	
80258AF	Race, B6VA / BAXA / MAXA / M6HA 2nd Gear To 1st-2nd Drum (.169") With Inner Splines (Secondary Shaft)	1	
80258AG	Race, B6VA / BAXA / MAXA / M6HA 2nd Gear To 1st-2nd Drum (.171") With Inner Splines (Secondary Shaft)	1	
80258AH	Race, B6VA / BAXA / MAXA / M6HA 2nd Gear To 1st-2nd Drum (.173") With Inner Splines (Secondary Shaft)	1	
80258AJ	Race, B6VA / BAXA / MAXA / M6HA 2nd Gear To 1st-2nd Drum (.175") With Inner Splines (Secondary Shaft)	1	
30267A	Collar, MPZA Horse Shoe Clips To 4th Gear (Countershaft) (1.890" Long)	1	
30267B	Collar, B6VA / BAXA / MAXA / M6HA Horse Shoe Clips To 4th Gear (Countershaft) (2.045" Long) (1.723"OD)	1	
30269A	Collar, MPZA Clip Retainer (Countershaft) (1.845"OD) (.305" Thick)	1	
30271A	Caged Needle Bearing, MPZA 4th Gear (Countershaft) Inner (1.007" Thick)	1	
30271B	Caged Needle Bearing, B6VA / BAXA / MAXA / M6HA 4th Gear (Countershaft) (1.540"OD) (1.005" Thick)	1	
30273A	Caged Needle Bearing, MPZA Reverse Gear (Countershaft) (.555" Thick) (1.795"OD)	1	
30273B	Caged Needle Bearing, B6VA / BAXA / MAXA / M6HA Reverse Gear To Countershaft (1.770"OD) (.560" Thick)	1	
30274B	Ball Bearing, M6HA / BAXA / MAXA / B6VA Countershaft To Case (.647" Thick) (B31-2NX1 or SX06C02NC3)	1	
30280A	Race, MPZA (.196" Thick) (2.515"OD) Splined OD	1	
30281A	Thrust Bearing, MPZA Driven Gear (Countershaft) (Both Sides)	2	
30281B	Thrust Bearing, B6VA / BAXA / MAXA / M6HA Driven Gear (Countershaft) (Both Sides) (2.625"OD) (.177" Thick)	2	

30282A	Washer, MPZA Reverse Idler Gear To Housing (.040" Thick) (1.175"OD) With Lip & 2 Notches	1	
30282B	Inner Race, B6VA / BAXA / MAXA / M6HA Driven Transfer Gear To Bearing (Countershaft) (2.595"OD)	1	
80283	Caged Needle Bearing, MPZA Reverse Idler (14 Rollers)	1	
80283A	Caged Needle Bearing, B6VA / BAXA / MAXA / M6HA Reverse Idler (12 Rollers)	1	
30284A	Washer, MPZA Reverse Idler Gear To Housing (.040" Thick) (1.175"OD) (Flat)	1	
30285A	Caged Needle Bearing, MPZA Driven Transfer Gear (Countershaft) (.735" Thick) (1.950"OD)	1	
30285B	Caged Needle Bearing, B6VA / BAXA / MAXA / M6HA Idler Gear To Countershaft (1.925"OD) (.730" Thick)	1	
30286B	Ball Bearing, B6VA / BAXA / MAXA / M6HA Idler Gear To Rear Cover (.390" Thick)(3.070"OD) (2.360"ID)(Cast # TM8812X1C3) (Also Fits B6VA/BAXA/MAXA/M6HA # 287)	1	
30287A	Ball Bearing, MPZA Driven Transfer Gear To Rear Cover (Countershaft) (3.032"OD) (2.145"ID)	1	
30288	Cup Race, MPZA Differential To Case (Use 80291)	1	
30288B	Cup Race, BAXA / MAXA / M6HA / B6VA Differential To Case (3.00"OD) (Cast # ET-CR-08A35ST)	1	
30289B	Cone Bearing, B6VA / BAXA / MAXA / M6HA Differential To Case (21 Rollers) (Cast # ET-CR-0835ST)	1	
30289BK	Cone Bearing W/Cup Race, B6VA / BAXA / MAXA / M6HA Differential To Case (21 Roller Bearing With Cast # ET-CR-0835ST Or # ETA-CR-08A72ST)(3.00"OD Cup Race With Cast # ET-CR-08A35ST Or # ETA-CR-08A72ST)	1	
30290A	Shim, MPZA Differential Race To Bell -Selective Sizes (Can Use 80290)	1	
30290B	Race, B6VA / BAXA / MAXA / M6HA Bell To Differential (3.140"OD) (.039" Thick)	1	
30290BB	Race, BAXA / MAXA / M6HA / B6VA Differential To Case (2.990"OD) (.040" Thick)	1	
80291	Cup Race, MPZA Differential To Bell Housing (4T30208STPX2) (Also Differential To Case)	1-2	
30291A	Cup Race, MPZA Differential Race Both Sides (Cast # 4T30208STPX2)	1-2	
30291B	Cup Race, BAXA/MAXA/M6HA/B6VA Differential To Bell (3.150"OD)(Cast #ET-CR-08A32ST Or ET-CR-09A14ST Or ETA-CR-08A71ST)	1	
30292B	Cone Bearing, B6VA / BAXA / MAXA / M6HA Differential To Bell Housing (20 Rollers) (ET-CR-0834ST)	1	
30292BK	Cone Bearing W/Cup Race, B6VA/BAXA/MAXA/M6HA Differential To Bell Housing (20 Roller Bearing) 3.150"OD Cup Race (Bearing Cast # ET-CR-0834ST Or ETA-CR-08A71ST) (Race Cast #ET-CR-08A32ST Or ET-CR-09A14ST Or ETA-CR-08A71ST)	1	
30294A	Shim, MPZA Low Gear Ball Bearing To Sprag (Secondary Shaft)	1	
30297A	Ball Bearing, MPZA Low Gear To Sprag (Both Sides Of Sprag)	1	

PART #	GASKETS & RUBBER COMPONENTS	QTY.	REFERENCE #
30305C	Gasket, BAXA/B6VA/M6HA Rear Cover (With 2 Large Ports By Vent)(Accord 1998-99) (Prelude 1997)(Acura CL 1998-99)	1	21812-P6H-000
30305CA	Gasket, BAXA/MAXA/MDWA/M6HA Rear Cover (With 1 Large Port By Vent) (Accord 1999-02) (Prelude 1998-01)(Odyssey 1998)(Oasis 1998-99)	1	
60313A	O-Ring, Honda Converter (OE Upgraded)(Fits On ConverterHub, Inside Of Drive Pump Gear)	1	
30318B	Gasket, BAXA/MAXA/B6VA/M6HA Bell Housing To Case 1997-02	1	

PART #	TECHNICAL MANUALS	QTY.	REFERENCE #
30400C	Technical Manual, BAXA/M6HA	1	

PART #	ELECTRICAL COMPONENTS	QTY.	REFERENCE #
30410C	Neutral Safety Switch, BAXA / MAXA / M6HA 2 Bolts To Rear Cover	1	
30411C	Sensor, BAXA / MAXA 2nd Clutch Pressure (Screws Into Bell Housing) (Green Connector)	1	
30411CA	Sensor, BAXA / MAXA Pressure (Screws Into Rear Cover) (Black Connector) (1 Prong)	1	
30411E	Switch, MDWA 2nd & 3rd Clutch Pressure (Screws In Bell Housing)(Green Connector)(Flat) (38 PSI)(Also Fits MPJA)	1	
80420	Solenoid Assembly, B6VA / BAXA / MAXA / M6HA / MDWA Shift (Outside Bell At 3:00) (Aluminum Base Is 4 1/4" Long)	1	
30421B	Solenoid, B6VA / BAXA / MAXA / M6HA / MDWA / MPZA Shift (Brown Connector) (The Bottom Solenoid On The Side Of The Bell)	1	
30422B	Solenoid, B6VA/BAXA/MAXA/M6HA/MDWA Shift (Black Solenoid) (The Top Solenoid On The Side Of The Bell)(Also BMXA #425)(Also BAYA/BYBA/B7WA/MFYA/MGHA/MGSA/M7WA #422 & #425)(Also B7TA/B7VA/B7XA/B7ZA # 422)(Also BVGA # 425)	1	
30423BK	Solenoid Assembly, BAXA/MAXA/B6VA/M6HA/MDWA Linear (Dual Solenoid Assembly With Aluminum Body) On The Case	1	
30425A	Dual Solenoid, MPZA Lock-Up & Shift (Outside Bell At 1:00) Aluminum Base	1	
30425C	Solenoid Assembly, B6VA / BAXA / MAXA / M6HA / MDWA Lock-Up (Outside Bell At 1:00) Aluminum Base Is 3 1/2" Long)(With 2 Oval Shaped O-Rings)(Can Use 80425)	1	
80425	Dual Solenoid, B6VA / BAXA / MAXA / M6HA / MDWA Lock-Up (Outside Bell At 1:00) (Aluminum Base Is 3 1/2" Long)(With 2 "D" Shaped O-Rings)(Can Use 30425C)	1	

PART # ELECTRICAL COMPONENTS (Continued) QTY. REFERENCE #

30431A	Solenoid, MPZA 2 Bolt Round (1.690"OD)	1	
30436A	Sensor, MPZA (3 3/4" Wire Harness) 2 Prong Connector (Reads Off # 803)	1	
30436C	Sensor, BAXA / MAXA On Top Of Case (2 Prong Black)	1	
30438A	Sensor, MPZA (7 1/2" Harness) With Square 2 Prong Connector (Reads Off # 690 In Rear Cover)	1	
30438B	Speed Sensor, B6VA / BAXA / MAXA / M6HA In Rear Cover (2 Prong Black Connector) (.780"OD)	1	

PART # MISC. COMPONENTS QTY. REFERENCE #

80485L	Dowel Pin, MPZA Case To Bell	1	
30492A	Drain Plug, MPZA	1	
30493A	Dip Stick, MPZA (12 1/4" Long)	1	
30493B	Dip Stick, B6VA / BAXA / MAXA / M6HA (7 3/8" Long) (3 7/16" Metal Stem)	1	
30494A	Filler Tube, MPZA (7 7/8" Long) (.456" At O-Ring)	1	
30494AB	Fill Plug, MPZA (15mm Head)	1	

PART # HARD PARTS QTY. REFERENCE #

30529A	Converter Reactor, MPZA	1	
30529B	Converter Reactor, B6VA / M6HA / BAXA / MAXA (CASt # P6H) (4.330" Long)	1	
60530C	Pump Gears, B6VA / BAXA / MAXA / M6HA (38 Spline Gear) 28 Teeth (.470" Thick)	1	
80535	Pin, B6VA / BAXA / MAXA / M6HA / MPZA Pump Gear	1	
30550A	Drum, MPZA 3rd-4th (Mainshaft) (2.760" Wide)	1	
30550B	Drum, B6VA / BAXA / MAXA / M6HA 3rd-4th (Mainshaft) (24 Teeth Steels) (2.548" Thick)	1	
30552A	Drum, MPZA Low/2nd Clutch (Secondary Shaft) (5.155"OD Low Clutch Piston)	1	
30552B	Drum, B6VA / MAXA / BAXA 1st/2nd (Secondary Shaft) (4.528"OD 2nd Clutch Piston) (4.553"OD 1st Clutch Piston)	1	
30552F	Drum, M6HA 1st/2nd (Secondary Shaft) (4.400"OD 2nd Clutch Piston)(4.553"OD 1st Clutch Piston)	1	
30574AK	Hub W/Sprag, MPZA Low Clutch (With Sprag & Ball Bearings)	1	
30577A	Hub, MPZA Low Hold Clutch	1	

PART # SPRAGS & ONE WAY CLUTCHES QTY. REFERENCE #

30654A	Sprag, MPZA Low (26 Elements) (Secondary Shaft)	1	
--------	---	---	--

PART # HARD PARTS (Continued) QTY. REFERENCE #

30672A	Mainshaft, MPZA (15 1/2" Long) (2.870"OD Of Flange)	1	
30672B	Mainshaft, B6VA / M6HA / MAXA / BAXA (14 1/2" Long) (.145" Flange Thickness)	1	
30675A	Secondary Shaft, MPZA (12" Long) Center Flange .190" Thick	1	
30675B	Secondary Shaft, B6VA / BAXA / MAXA (10 1/2" Long) (.284" Thick Flange) 6 Ring Grooves	1	
30676A	Countershaft, MPZA (15 Teeth) (12 1/4" Long) (7 Sets Splines)	1	
30676B	Countershaft, B6VA / BAXA / MAXA (15 Teeth) (11 1/2" Long) 7 Sets Splines	1	
30676F	Countershaft, M6HA (14 Teeth) (11 1/2" Long) 7 Sets Splines	1	
30689A	Plate, MPZA Bell To Secondary Bearing	1	
30689AB	Plate, MPZA Bell To Pinion Bearing	1	
30689B	Plate, B6VA / BAXA / MAXA / M6HA Oil (2.626"OD) Tin	1	
30689BC	Plate, B6VA / BAXA / MAXA / M6HA Oil (1.795"OD) Tin (Stamped P6H)	1	
30690A	Park Gear, MPZA (18 Lugs) (4.400"OD)	1	
30690B	Park Gear, B6VA / BAXA / MAXA / M6HA Countershaft (15 Lugs) (4.402"OD)	1	
20699H	Oil Shield, BAXA/MAXA Drive GEAr (Mainshaft) (2 Bolt Tin) (3.475"OD) 1999-Up	1	
30710AK	Gear Set, MPZA Transfer (3 Gear Set) 48 Teeth Mainshaft, 45 Teeth Countershaft & 59 Teeth Secondary Shaft	1	
30710BK	Gear Set, B6VA / BAXA / MAXA / M6HA Transfer (3 Gear Set) (45 Teeth Mainshaft, 42 Teeth Countershaft & 59 Teeth Secondary Shaft) (No Oil Shield On Mainshaft Gear)	1	
30710BAK	Gear Set, BAXA / MAXA Transfer (3 Gear Set) 1999-Up (45 Teeth Mainshaft, 42 Teeth Countershaft & 59 Teeth Secondary Shaft) (Uses A 2 Bolt Oil Shield #699 On The Mainshaft Gear)	1	
30715A	Differential Assembly, MPZA (68 Teeth) 10 Bolt (26 Teeth Metal Speed-o)	1	
30715B	Differential Assembly, B6VA / BAXA / MAXA (67 Teeth) No Groove (No Speed-o)	1	
30715F	Differential Assembly, M6HA (67 Teeth) 1 Groove (23 Teeth Speed-o)	1	
30740A	Valve Body, MPZA (Casting POZ) No Detent Type	1	
30740B	Valve Body, B6VA / M6HA / BAXA / MAXA (Casting P6H)	1	

PART #	VALVE BODY COMPONENTS	QTY.	REFERENCE #
80741-1	Valve & Spring, B6VA / BAXA / MAXA / M6HA (Converter Check Valve) In Valve Body	1	
S30741C-6	End Plug With O-Ring, B6VA/BAXA/MAXA/MDWA/M6HA (14mm Plug)(Fits All 4 Speeds With Dual Linear Solenoids) (Sonnax)	1	98892-02
S30741C-6K	End Plug Kit, B6VA/BAXA/MAXA/MDWA/M6HA (Contains: Three 12mm End Plugs And One 14mm End Plug With O-Rings) (Fits All 4 Speeds With Dual Linear Solenoids)(Sonnax)	1	98892-01K
S30741S-6	End Plug With O-Ring, B6VA/BAXA/MAXA/MDWA/M6HA (12mm Plug)(Fits All 4 Speeds With Dual Linear Solenoids) (Sonnax)	1	98892-01
30747B	Seperator Plate, B6VA / BAXA / MAXA Valve Body (13 Holes In Pistol Grip Area)	1	
30747D	Seperator Plate, MAXA Valve Body (15 Holes In Pistol Grip Area)	1	
30747F	Seperator Plate, M6HA Valve Body (7 Holes In Pistol Grip Area)	1	

PART #	HARD PARTS (Continued)	QTY.	REFERENCE #
30750A	Bell Housing, MPZA (4 3/4" Top Bolts) With Speed-O Hole (18 Bolts To Case)	1	
30750B	Bell Housing, B6VA / BAXA / MAXA (5 1/2" Top Bolts)(Cast # PAX2)(No Speed-O Hole) (16 Bolts To Case)(Also Fits BAXA/MAXA 1998-99 Only)	1	
30750F	Bell Housing, M6HA (5 1/2" Top Bolts) With Speed-O Hole (16 Bolts To Case) Cast # P6H	1	
30756A	Solenoid Body, MPZA (4 Bolt) With Adjustable Bolt & Nut	1	
30756B	Use 30423BK	1	
30759A	Rear Cover, MPZA (16 Bolts) (Cast # POZ)	1	
30759B	Rear Cover, B6VA (Uses 1 Push In & 1 Screw In Sensor) Has No # 410 Switch	1	
30759C	Rear Cover, BAXA (Uses 1 Push In & 1 Screw In Sensor) Uses A 2 Bolt # 410 Switch (Has 2 Large Ports In Rear Cover Gasket Going To The Case Vent) Cast # 758 & 803	1	
30759CA	Rear Cover, BAXA / MAXA (Uses 1 Push-In & 1 Screw In Sensor)(Uses A 2 Bolt #410 Switch) (Has 1 Large Port In Rear Cover Gasket Going To The Case Vent)(Cast # PAXT Or 443)	1	
30759F	Rear Cover, M6HA (Uses 1 Push In Sensor) Uses A 2 Bolt # 410 Switch	1	
30760A	Case, MPZA 18 Bolts To Bell (16 Bolt Rear Cover)	1	
30760B	Case, B6VA/BAXA/Some M6HA (16 Bolts To Bell) (Has 2 Large Ports In Rear Cover Gasket Going To Case Vent)(2.590"OD Axle Seal)(Also Fits BAXA 1998-99 Only)	1	
30760BA	Case, BAXA (16 Bolts To Bell) (Has 1 Large Port In Rear Cover Gasket Going To The Case Vent) 2000-Up	1	
30760D	Case, MAXA 16 Bolts To Bell (Has 1 Large Port In Rear Cover Gasket Going To Case Vent) 1998-99 Only	1	
30760F	Case, M6HA (Some) (16 Bolts To Bell)(Has 2 Large Ports In Rear Cover Gasket Going To The Case Vent)(2.195"OD Axle Seal)	1	
30774A	Speed-O Housing & Power Steering Pump, MPZA 3 Prong Connector (21 Teeth) 2 Groove (Metal Gear)	1	
30776AK	Bolt Set, MPZA Case To Bell (18 Pieces) (15mm)	1	
30776BK	Bolt Set, B6VA / BAXA / MAXA / M6HA Case To Bell (19 Pieces) (15mm)	1	
30780AK	Bolt Set, MPZA Rear Cover (16 Pieces)	1	
30780BK	Bolt Set, BAXA / MAXA / B6VA / M6HA Rear Cover (14 Pieces)	1	
30782K	Bolt Set, MPZA Valve Body To Bell (4 Bolts)	1	
80782K	Bolt Set, B6VA / BAXA / MAXA / M6HA Valve Body To Bell (4 Bolts)	1	
30783AAK	Bolt Set, MPZA Accumulator (14 Pieces)	1	
30783AK	Bolt Set, MPZA Accumulator Body (7 Pieces)	1	
30783BK	Bolt Set, B6VA / M4HA / BAXA / MAXA Accumulator (6 Pieces) (10mm)	1	
30784AK	Bolt Set, MPZA Regulator (8 Pieces)	1	
30784BK	Bolt Set, B6VA / M6HA / BAXA / MAXA Regulator (8 Pieces) (10mm)	1	
80795	Nut, B6VA / BAXA / MAXA / M6HA (Some) Mainshaft (Left Hand Thread) .435" Thick	1	
20795A	Nut, BAXA / B6VA / MAXA / M6HA (Countershaft & Secondary Shaft) Right Hand Threads	2	
20796A	Nut, BAXA / B6VA / MAXA / M6HA (Some) Mainshaft (Left Hand Thread) (.713" Thick)	1	
30801A	Gear, MPZA Low (Countershaft) 57 Teeth (5.714"OD)	1	
30801B	Gear, B6VA / BAXA / MAXA / M6HA 1st (Countershaft) (54 Teeth)	1	
30802A	Gear, MPZA Low (Secondary Shaft) With Inner Sprag Race	1	
30802AK	Low Assembly, MPZA With Sprag Hub, Gear & Shim	1	
30802B	Gear, B6VA / M6HA / BAXA / MAXA 1st (Secondary) 28 Teeth (2.580" Tall)	1	
30803A	Gear, MPZA 2nd (Secondary Shaft) 47 Teeth	1	
30803B	Gear, B6VA / M6HA / MAXA / BAXA 2nd (Secondary Shaft) 45 Teeth (Left Angle)	1	
30804A	Gear, MPZA 2nd (Countershaft) 54 Teeth (4.724"OD)	1	
30804B	Gear, B6VA / BAXA / MAXA / M6HA 2nd (Countershaft) 49 Teeth (4.333"OD)	1	
30806A	Gear, MPZA 3rd (43 Teeth) (3.805"OD)	1	
30806B	Gear, B6VA / BAXA / MAXA 3rd (Mainshaft) 44 Teeth (No Groove) (2.400"ID)	1	
30806F	Gear, M6HA (43 Teeth) 1 Groove (2.400"ID)	1	
30807A	Gear, MPZA 3rd (Countershaft) 44 Teeth (3.900"OD)	1	
30807B	Gear, B6VA / BAXA / MAXA 3rd (Countershaft) 41 Teeth (No Groove) Right Angle	1	
30807F	Gear, M6HA 3rd (Countershaft) 42 Teeth (1 Groove) Right Angle	1	

PART #	HARD PARTS (Continued)	QTY.	REFERENCE #
30809A	Gear, MPZA 4th/Reverse (Mainshaft) 46 Teeth Big (26 Teeth Small)	1	
30809B	Gear, B6VA / BAXA / MAXA (50 Teeth) No Groove (Left Angle)	1	
30809F	Gear, M6HA (49 Teeth) 1 Groove (Left Angle)	1	
30810A	Gear, MPZA 4th (Countershaft) 30 Teeth (No Groove) (1.615"ID)	1	
30810A	Gear, MPZA 4th (Countershaft) 30 Teeth (3.140"OD)	1	
30810B	Gear, B6VA / BAXA / MAXA 4th (Countershaft) 31 Teeth (1.575"ID)	1	
30810F	Gear, M6HA 4th (Countershaft) 32 Teeth (1 Groove)	1	
30816A	Gear, MPZA Reverse (Countershaft) 48 Teeth (1.810"ID) Angled Teeth	1	
30816B	Gear, B6VA / BAXA / MAXA / M6HA Reverse (Countershaft) 41 Teeth (1.810"ID)	1	
30818A	Gear, MPZA Reverse Idler (29 Teeth) (2.910"OD)	1	
30818B	Gear, B6VA / BAXA / MAXA / M6HA Reverse Idler (27 Teeth) (.787"ID)	1	
30819A	Pin, MPZA Reverse Idler (2.950" Long)	1	
80819A	Pin, B6VA / BAXA / MAXA / M6HA Reverse Idler (1.705" Long) (.590"OD) With 2 O-Ring Grooves	1	
30820A	Bracket, MPZA Reverse Idler (Cast # POZZ)	1	
30820B	Retainer, BAXA / B6VA / MAXA / M6HA Reverse Idler (Aluminum, 2 Bolt)(2.170" Long)(1.220"OD) (.582"ID)	1	
80830	Selector, B6VA / BAXA / MAXA / M6HA Reverse (Countershaft)	1	
30830A	Selector, MPZA Reverse (Countershaft) (.584" Thick)	1	
30835A	Hub, MPZA Selector (.340" Thick)	1	
30835B	Hub, B6VA / BAXA / MAXA / M6HA (26 Teeth) 30 Splines (.473" Thick)	1	
30840A	Fork, MPZA Reverse (Cast # POZ)	1	
30840B	Fork, B6VA / BAXA (Cast # PAX)	1	
30840C	Fork, MAXA / M6HA (Cast # P6H)	1	
80850	Cushion, MPZA 1st, 2nd, 3rd, 4th & 1st Hold Clutch	1-5	
30850B	Cushion, B6VA / BAXA / MAXA / M6HA 4th (Mainshaft) (.060" Thick) (4.450"OD) Also Fits 3rd Clutch	1-2	
30853A	Cushion, MPZA Low Clutch (4.570"OD) (.070" Thick)	1	
30857B	Waved Ring, B6VA / M6HA / BAXA / MAXA 1st Clutch (4 3/8"OD) (.082" Thick)	1	
80861	Snap Ring, B6VA / BAXA / MAXA / MPZA / M6HA Holds Pressure Plate In All Drums	1-4	
30861A	Snap Ring, MPZA Low Clutch Top (.069" Thick) (5 9/16"OD)	1	
80862	Snap Ring, B6VA / BAXA / MAXA / MPZA / M6HA Holds 1st, 2nd, 3rd, 4th & 1st Hold Clutch Retainer In	1-5	
30862A	Snap Ring, MPZA 2nd Clutch Retainer (.070" Thick) (1.938"OD)	1	
80870	Snap Ring, B6VA / BAXA / MAXA / M6HA Holds Bearing In Stator (Front)	1	
30873B	Snap Ring, B6VA / BAXA / MAXA / MPZA / M6HA Holds Pressure Plate In 2nd Clutch Drum (Use 80861)	1	
30877A	Snap Ring, MPZA / B6VA / BAXA / MAXA Low Clutch (1.925"OD) (.058" Thick)	1	
80879	Snap Ring, MPZA Holds Caged Needle Bearing # 214 To Mainshaft	1	
60879C	Snap Ring, B6VA / BAXA / MAXA / M6HA Holds Caged Needle Bearing # 214 To Mainshaft	1	
30880A	Snap Ring, MPZA Mainshaft To Case (3.270"OD)	1	
30880B	Snap Ring, M6HA / BAXA / MAXA / B6VA Ball Bearing To Case (Mainshaft) (.077" Thick) (2.510"OD)	1	
80881	Wire Snap Ring, MPZA Mainshaft	1	
60884CA	Snap Ring, B6VA / BAXA / MAXA / MPZA / M6HA Countershaft Ball Bearing To Case (Also Secondary Shaft Ball Bearing To Case)	1-2	
30886A	Snap Ring, MPZA Holds Collar To Countershaft (.040" Thick)	1	
30887A	Horseshoe Clips, MPZA (.074" Thick) (2 Per Set)	1	
30887B	Horse Shoe Clips, B6VA / BAXA / MAXA / M6HA Pinion Shaft (1.600" Long) (.187" Wide) (.078" Thick) (2 Per Set)	1	
30887BB	Horse Shoe Clips, B6VA / BAXA / MAXA / M6HA Secondary Shaft (1.640" Long) (.078" Thick) (2 Per Set)	1	
30888A	Snap Ring, MPZA / B6VA / BAXA / MAXA / M6HA 2nd Shift (.058" Thick)	1	
30889B	Snap Ring, MAXA/BAXA/M6HA/B6VA Countershaft Ball Bearing To Case (Use 60884CA)	1	
30889A	Snap Ring, MPZA Secondary Shaft Ball Bearing To Case (3 3/8"OD) (.078" Thick)	1	
30890B	Snap Ring, B6VA / BAXA / MAXA / M6HA Holds Countershaft Ball Bearing To Case (Use 60884CA)	1	
30900A	Servo Assembly, MPZA (Cast # POZ) 14 Bolt (3 Bores)	1	
30900B	Servo Assembly, B6VA / M6HA / BAXA / MAXA (Cast # P6H)	1	
30900B-2	Detent Assembly, B6VA / M6HA / BAXA / MAXA (Servo) Bolts To Servo With 2 Detents For Servo Rod (Steel)	1	
30924A	Regulator Body, MPZA (Casting POZ & POZZ) 8 Bolt (Without Separator Plate)	1	
30924B	Regulator, B6VA / M6HA / BAXA / MAXA (Casting P6H)(Without Separator Plate)(Holes For The Oil Tubes Are Drilled)	1	
30924C	Regulator Body, B6VA/M6HA/BAXA/MAXA (Cast # P6H)(Without Separator Plate)(Holes For The Oil Tubes Are Not Drilled Out)	1	

30925A Accumulator, MPZA (POZ Casting) 7 Bolt (2 Bores).....	1
30925B Accumulator, B6VA / MAXA / BAXA (PAX Casting).....	1
30925F Accumulator, M6HA (P6H Casting).....	1
80960 Piston, MPZA 1st, 3rd, 4th & 1st Hold Clutch.....	1-4
30960B Piston, M6VA / BAXA / MAXA / M6HA 4th Mainshaft (4.705"OD) (.338" Thick At Edge).....	1
30962A Piston, MPZA 2nd Clutch (.338" Thick).....	1
30962B Piston, B6VA / MAXA / BAXA 2nd Clutch (4.528"OD) (.610 Thick).....	1
30962F Piston, M6HA 2nd Clutch (4.400"OD) (.605" Thick).....	1
30967A Piston, MPZA Inner (.445" Thick) (4.560"OD).....	1
30967B Piston, B6VA / M6HA / BAXA / MAXA 1st Clutch (4.553"OD) (.590" Thick).....	1
30969A Piston, MPZA Low Clutch (1.070" Thick) (5.155"OD).....	1
80970 Spring, B6VA / BAXA / MAXA / MPZA / M6HA 1st, 2nd, 3rd & 4th Clutch Return.....	1-4
30972B Spring, B6VA / M6HA / MAXA / BAXA 1st Clutch Return (2.600"OD) (1.775" Thick).....	1
30974A Spring, MPZA Low Return (2.965"OD) (1.545" Tall).....	1
80980 Retainer, MPZA 3rd, 4th Clutch (Mainshaft).....	1-2
30982B Retainer/Piston, BAXA / B6VA 1st & 2nd Clutch (Inner Bonded) (3.940"OD)(.990" Thick).....	1
30982BK Retainer/Piston Kit, BAXA / B6VA 1st & 2nd Clutch (Inner Bonded)(3.940"OD)(.990" Thick) (Contains Both Bonded Retainer/Pistons).....	1
30982D Retainer, MAXA / M6HA 1st & 2nd Clutch (Inner Steel) (3.915"OD).....	1
30982F Retainer, M6HA 2nd Clutch (Inner Steel) (3.754"OD).....	1
30984A Retainer, MPZA Low Clutch (2.910"OD).....	1
30991-4B Shift Rod, B6VA (11 1/8" Long).....	1
30991-4C Shift Rod, BAXA / MAXA / M6HA (12 5/16" Long).....	1
30991A Shift Rod, MPZA (12 7/8" Long) POX Casting.....	1
30995A Park Pawl Assembly, MPZA.....	1
30995B Park Pawl Assembly, BAXA / MAXA / M6HA / B6VA (7 Pieces).....	1
80995-6A Park Lock Assembly, MPZA Aluminum Fork, Springs, 2 Pins.....	1
30995B-6A Park Lock Assembly, BAXA / MAXA / M6HA Aluminum Fork, Springs, 2 Pins.....	1
80996 Fitting, MPZA Cooler Line (1 1/2" Long) Holds Cooler Line To Bell.....	1-2
80996A Fitting, MPZA Cooler Line (4 5/8" Long).....	1
30998A Cooler Line, MPZA (Bolts To Bell) 9" Tube With 2 Brackets (Fitting Holds Tube To Bell).....	1-2
30998B External Cooler Adapter, Acura/Honda (Use To Replace The OEM).....	1
30999A Tube Set, MPZA (8 Pieces).....	1
30999B Tube Set, BAXA / MAXA / B6VA / M6HA (3 Pieces).....	1
30999BA Tube Set, BAXA / MAXA (5 Pieces) 1999-Up.....	1