





AW55-50SN / AW55-51SN (AF23/AF33/RE5F22A) FWD 5 Speed

| PART # | PAPER & RUBBER KIT | QTY | REFERENCE # |
|---------|---|-----|-------------|
| 21000A | Paper & Rubber Kit, AW55-50SN / AW55-51SN (5 Speed FWD/AWD) 2000-Up | 1 | |
| PART # | OVERHAUL KIT | QTY | REFERENCE # |
| 21002A | Overhaul Kit, AW55-50SN / AW55-51SN (5 Speed FWD/AWD) 2000-Up | 1 | |
| PART # | MASTER L/STEELS KIT | QTY | REFERENCE # |
| 21004A | Master L/Steels Kit, AW55-50SN / AW55-51SN (5 Speed FWD/AWD) 2000-Up | 1 | |
| PART # | MASTER W/STEELS KIT | QTY | REFERENCE # |
| 21006A | Master W/Steels Kit, AW55-50SN / AW55-51SN (5 Speed FWD/AWD) 2000-Up | 1 | |
| PART # | FILTERS | QTY | REFERENCE # |
| 21010A | Filter, AW55-50SN / AW55-51SN (All) 2000-Up | 1 | |
| 21010F | Filter, RE5F22A (Nissan & Infinity) 2004-Up | 1 | |
| PART # | BAND | QTY | REFERENCE # |
| 21022A | Band, AW55-50SN / AW55-51SN 3rd Gear (2 1/16" Wide) (Double Wrap) 2000-Up | 1 | |
| PART # | BUSHINGS | QTY | REFERENCE # |
| 21030A | Bushing Kit, AW55-50SN / AW55-51SN 2000-Up (Contains: 037A, 037AA, 052B, 034A, Two # 056B) (Does Not Have # 058 Or 040)(This Kit Fits The .876"OD Input Shaft On The #554 Drum) | 1 | |
| 21030AA | Bushing Kit, AW55-50SN / AW55-51SN 2000-Up (Contains: # 037A, 037AA, 052B, 034A & Two 056A)(Does Not Have # 058 Or # 040)(This Kit Fits The .846"OD Input Shaft On The #554 Drum) | 1 | |
| 21034A | Bushing, AW55-50SN / AW55-51SN Pump Body (1.490"ID) 2000-Up | 1 | |
| 21037A | Bushing, AW55-50SN / AW55-51SN Stator (Rear) Grooved (Brass) 2000-Up | 1 | |
| 21037AA | Bushing, AW55-50SN / AW55-51SN Stator (Center) (Brass) 2000-Up | 1 | |
| 21040A | Bushing, AW55-50SN / AW55-51SN 4-5 Clutch Drum (1.425"OD) 2000-Up | 2 | |
| 21052A | Use 21056B (This Is The 2 Piece Type Bushing) | 1 | |
| 21052B | Bushing, AW55-50SN / AW55-51SN Direct Clutch Hub With Sun Gear (1 Piece Type)(.870"ID) 2000-Up | 1 | |
| 21056A | Bushing, AW55-50SN Rear Planet Sun Gear (Front & Rear) .845"ID (.970"OD) 2000-Up | 2 | |
| 21056B | Bushing, AW55-51SN Rear Planet Sun Gear (Front & Rear) .870"ID (.970"OD) 2000-Up (Also Fits AW55-50SN Sun Gear With Hub #612 2000-Up) | 2-4 | |
| 89058A | Bushing, AW55-50SN / AW55-51SN Rear Planet (#058)(Front) No Groove (1.165"ID) 2000-Up | 2 | |
| 89058B | Bushing, AW55-50SN/AW55-51SN Rear Planet (#058)(Rear) With Groove (1.165"ID) | 2 | |
| 89058C | Bushing, AW55-50SN/AW55-51SN Rear Planet (1 Piece)(Replaces The 2 Bushings)(Planet Must Be Machined To Use This Bushing) | 1 | |
| PART # | METAL CLAD SEALS | QTY | REFERENCE # |
| 57070A | Seal, AW55-50SN / AW55-51SN Pump | 1 | |
| 21072A | Seal, AW55-50SN / AW55-51SN Linkage (.875"OD) (.440"ID) (Cast # NOK AE0371R) 2000-Up | 1 | |
| 89076A | Seal, AW55-50SN / AW55-51SN Axle Both Sides (Some Volvo)(1.520"ID)(2.483"OD) 2000-Up | 1-2 | |
| 21077A | Seal, AW55-50SN (Volvo) Axle (Bell Housing Side) (2.958"OD) 2000-Up | 1 | |
| 21077C | Seal, AW55-50SN (GM) Axle (Bell Housing Side) (2.400"OD) 2005-Up | 1 | |
| 21077D | Seal, AW55-50SN (Saturn) Axle (Bell Housing Side) (2.145"OD) 2002-Up | 1 | |
| PART # | FRICTION CLUTCH | QTY | REFERENCE # |
| 21102A | Friction, AW55-50SN / AW55-51SN 4-5 Clutch (.068") 34 Teeth (4.483"OD) 2000-Up | 4 | |
| 21102B | Friction, AW55-51SN 4-5 Clutch (.059")(34 Teeth)(4.482"OD) 2005-Up | 4 | |
| 89104AA | Friction, AW55-50SN 2nd Clutch (.067") 40 Teeth (6.302"OD) 2000-Up | 4 | |
| 89104AC | Friction, AW55-51SC 2nd Brake Clutch (.075")(40 Teeth) 2005-Up | 4 | |
| 21106A | Use 89112A | 4 | |
| 89112A | Friction, AW55-50SN/AW55-51SN 2nd Coast Clutch #112 & Direct Clutch #106 (.067")(34 Teeth) (4.260"OD) | 4 | |
| 21106B | Friction, AW55-51SN Direct Clutch (.059") 34 Teeth (4.260"OD) 2005-Up | 4 | |

| | | | |
|-------------|--|---|--|
| 21108A..... | Friction, AW55-50SN / AW55-51SN Forward Clutch (.068") 49 Teeth (5.375"OD) | | |
| | 2000-Up | 4 | |
| 21110A..... | Friction, AW55-50SN / AW55-51SN 1-2 Reverse Clutch (.068") 47 Teeth (5.540"OD) | | |
| | 2000-Up | 6 | |
| 89112A..... | Friction, AW55-50SN / AW55-51SN 2nd Coast Clutch (.067") 34 Teeth (4.260"OD) 2000-Up | 3 | |
| 89114A..... | Friction, AW55-50SN/AW55-51SN Low/Reverse Clutch (.067") 33 Teeth (6.302"OD) | 4 | |
| 21114B..... | Use 89114A | 5 | |

| PART # | STEEL CLUTCH | QTY | REFERENCE # |
|--------------|--|-----|-------------|
| 21122A..... | Use 89126AA | 4 | |
| 89126AA..... | Steel, AW55-50SN / AW55-51SN 4-5 Clutch (.071")(18 Teeth)(3.582"ID) 2000-Up | 1 | |
| 89124AC..... | Steel, AW55-50SN / AW55-51SN 2nd Clutch (.071") 10 Teeth (5.538"ID) 2000-Up | 4 | |
| 21126A..... | Use 89126A | 4 | |
| 89126A..... | Steel, AW55-50SN / AW55-51SN Direct Clutch (.071")(12 Teeth)(3.582"ID) 2000-Up | 4 | |
| 21128A..... | Use 89128AA | 4 | |
| 89128AA..... | Steel, AW55-50SN / AW55-51SN Forward Clutch (.077")(12 Teeth)(4.491"ID) 2000-Up | 4 | |
| 21130A..... | Steel, AW55-50SN / AW55-51SN 1-2 Reverse Clutch (.070") (4.899"ID) 2000-Up | 6 | |
| 89132A..... | Steel, AW55-50SN / AW55-51SN 2nd Coast Clutch (.071") 8 Teeth (3.582"ID) 2000-Up | 2 | |
| 21134A..... | Steel, AW55-50SN / AW55-51SN Low/Reverse Clutch (.070") (5.655"ID) 2000-Up | 3-4 | |

| PART # | PRESSURE PLATES | QTY | REFERENCE # |
|--------------|--|-----|-------------|
| 21142AA..... | Pressure Plate, AW55-50SN / AW55-51SN 4-5 Clutch (Selective) 18 Teeth (3.590"ID) | 1 | |
| | 2000-Up | | |
| 21144A..... | Pressure Plate, AW55-50SN / AW55-51SN 2nd Clutch (.142") 10 Teeth (5.540"ID) 2000-Up | 1 | |
| 21144AA..... | Pressure Plate, AW55-50SN / AW55-51SN 2nd Clutch (.150") 10 Teeth (5.540"ID) 2000-Up | 1 | |
| 89146A..... | Pressure Plate, AW55-50SN / AW55-51SN Direct Clutch (.150") 12 Teeth (3.580"ID) | 1 | |
| | 2000-Up | | |
| 89148A..... | Pressure Plate, AW55-50SN Forward Clutch (Top) 12 Teeth (.151") 4.490"ID | 1 | |
| | (Stepped To .197") 2000-Up | | |
| 89148AA..... | Pressure Plate, AW55-50SN Forward Clutch (Top) 12 Teeth (.150") 4.490"ID | 1 | |
| | (Flat) 2000-Up | | |
| 21148B..... | Pressure Plate, AW55-51SN Forward Clutch (.205") 12 Teeth (Flat) 2000-Up | 1 | |
| 21150AA..... | Pressure Plate, AW55-50SN / AW55-51SN 1-2 Reverse Clutch (Top) Selective | 1 | |
| | (12 Teeth) (4.890"ID) 2000-Up | | |
| 89152A..... | Pressure Plate, AW55-50SN 2nd Coast Clutch (Top) .138" (12 Spring Guides) 2000-Up | 1 | |
| 21152B..... | Pressure Plate, AW55-51SN 2nd Coast Clutch (Top) .138" (8 Spring Guides) 2000-Up | 1 | |
| 21154A..... | Use 21155AA | 1 | |
| 21154B..... | Pressure Plate, AW55-51SN Low/Reverse Clutch (.098") 13 Teeth (5.655"ID) | 1 | |
| | 2000-Up | | |
| 21155AA..... | Apply Plate, AW55-50SN / AW55-51SN Low/Reverse Clutch (Selective) 13 Teeth | 1-2 | |
| | (5.660"ID) 2000-Up (Also Fits AW55-50SN #154 Pressure Plate) | | |

| PART # | VALVE BODY KIT | QTY | REFERENCE # |
|--------------|---|-----|-------------|
| T21165A..... | Valve Body Kit, AW55-50SN 2000-Up (Transgo) | 1 | |

| PART # | SEALING RINGS | QTY | REFERENCE # |
|--------------|--|-----|-------------|
| 21175AT..... | Ring Kit, AW55-50SN / AW55-51SN (Teflon) 2000-Up | 1 | |
| 89180AT..... | Ring, AW55-50SN / AW55-51SN Forward & Direct Drum Shaft (Small) Rear (Teflon) | 1 | |
| | (Butt-Joint) 2000-Up | | |
| 21181AT..... | Ring, AW55-50SN / AW55-51SN Forward & Direct Clutch (Teflon) (Scarf Cut Joint) 2000-Up | 3 | |
| 21184AT..... | Ring, AW55-50SN / AW55-51SN 4-5 Planet Shaft Pilot To Rear Cover (Teflon) | 1 | |
| | (Scarf Cut Joint) 2000-Up | | |
| 21185AT..... | Ring, AW55-50SN / AW55-51SN 4-5 Clutch (Teflon) (Scarf Cut Joint) 2000-Up | 2 | |
| 21191AT..... | Ring, AW55-50SN / AW55-51SN Forward & Direct Accumulator (Teflon) (Scarf Cut Joint) | 1 | |
| | 2000-Up | | |

| PART # | WASHERS & BEARINGS | QTY | REFERENCE # |
|-------------|--|-----|-------------|
| 89211A..... | Washer, AW55-51SN Stator To Sprag Race (3 Tab Plastic) 2.919"OD (1.847"ID) | 1 | |
| | 2000-Up | | |
| 21211A..... | Washer, AW55-50SN Stator To Sprag Race (3 Tab Metal) (.056" Thick) 2.460"OD | 1 | |
| | (1.315"ID) 2000-Up | | |
| 89219A..... | Washer, AW55-50SN / AW55-51SN 2nd Coast Clutch Hub To 2nd Clutch Hub (3 Tab Plastic) | 1 | |
| | (.073" Thick, 3.023"OD, 2.213"ID) 2000-Up | | |
| 89221A..... | Washer, AW55-50SN / AW55-51SN 2nd Coast Clutch Drum To Transfer Gear (3 Tab | 1 | |
| | Plastic) .078" Thick (3.905"OD) (2.216"ID) 2000-Up | | |

| PART # | WASHERS & BEARINGS (Continued) | QTY | REFERENCE # |
|---------|---|-----|-------------|
| 21223A | Caged Needle Bearing, AW55-50SN Forward & Direct Drum Shaft To Rear Cover (13 Needles) .735"OD (Cast # KOYO BMK131914J) 2000-Up | 1 | |
| 21223B | Caged Needle Bearing, AW55-51SN Forward & Direct Drum Shaft To Rear Cover (10 Needles) .835"OD (Cast # KOYO BKM132114BJ) 2000-Up | 1 | |
| 89231A | Race, AW55-50SN / AW55-51SN Forward & Direct Drum To Rear Cover (.031" Thick) .536"ID (1.605"OD) 2000-Up | 1 | |
| 21232A | Bearing, AW55-50SN / AW55-51SN Forward & Direct Drum To Rear Cover (.117" Thick) .910"ID (1.640"OD) 2000-Up | 1 | |
| 21233A | Race, AW55-50SN Forward & Direct Drum To Rear Cover (Rear) (.031" Thick) .638"ID (1.604"OD) 2000-Up | 1 | |
| 21233B | Race, AW55-51SN Forward & Direct Drum To Rear Cover (Rear) (.031" Thick) .867"ID (1.604"OD) 2000-Up | 1 | |
| 21234B | Bearing W/Races, AW55-51SN Sun Gear With Hub To Forward/Direct Drum (.140" Thick) 1.700"OD (.903"ID) 2000-Up | 1 | |
| 21235A | Bearing W/Race, AW55-50SN / AW55-51SN Ring Gear Hub To Direct Clutch Hub (.110" Thick) 2.547"OD (1.975"ID) 2000-Up | 1 | |
| 89236A | Race, AW55-50SN / AW55-51SN Rear Hub To Sun gear (4 Legs) (.031" Thick) 2.903"OD (2.090"ID) 2000-Up | 1 | |
| 21238A | Bearing W/Race, AW55-50SN / AW55-51SN Rear Planet To Hub (2.515"OD) (1.831"ID) 2000-Up | 1 | |
| 21239A | Race, AW55-50SN Rear Planet To Hub (2.395"OD) (1.705"ID) 2000-Up | 1 | |
| 21239B | Race, AW55-51SN Rear Planet To Hub (2.395"OD) (1.975"ID) 2000-Up | 1 | |
| 21240A | Bearing W/Race, AW55-50SN Rear Sun Gear To Sun Gear With Hub (.110" Thick) 1.505"OD (.912"ID) 2000-Up | 1 | |
| 21241A | Race, AW55-50SN Rear Sun Gear To Sun Gear With Hub (.031" Thick) 1.370"OD (.912"ID) 2000-Up | 1 | |
| 21246A | Washer, AW55-50SN / AW55-51SN 1-2 Reverse Planet (Both Sides) Plastic (3 Locking Tabs) .039" Thick (3.040"OD) 2000-Up | 2 | |
| 21247A | Bearing, AW55-50SN / AW55-51SN Sun Gear To 1-2 Reverse Planet Ring Gear (.118" Thick) 2.287"OD (1.563"ID) 2000-Up | 1 | |
| 21248A | Bearing W/Race, AW55-50SN / AW55-51SN 1-2 Reverse Planet Ring Gear To Rear Cover (.169" Thick) 1.460"ID (2.262"OD) 2000-Up | 1 | |
| 21249BA | Shim, AW55-51SN 1-2 Reverse Planet Ring Gear To Rear Cover (Selective) (1.438"ID) (2.265"OD) 2000-Up | 1 | |
| 89251A | Bearing, AW55-50SN / AW55-51SN Rear Hub To Planet (3.493"OD) .140" Thick (2.900"ID) 2000-Up | 1 | |
| 21254A | Bearing W/Race, AW55-50SN / AW55-51SN Drive Transfer Gear To Rear Ring Gear Hub (.108" Thick) 2.435"OD (1.820"ID) 2000-Up | 1 | |
| 89255A | Race, AW55-50SN / AW55-51SN Ring Gear Hub (Front) 2.275"OD (1.732"ID) (.078" Thick) 2000-Up | 1 | |
| 21256A | Washer, AW55-50SN Sprag To Rear Ring Gear Hub (.100" Thick) 3.860"ID (Stepped) With 4 Half Moon Cuts 2000-Up | 1 | |
| 21273AA | Shim, AW55-50SN / AW55-51SN Pinion To Bearing #283 (Selective) 2.790"OD (1.943"ID) 2000-Up | 1 | |
| 21274A | Bearing, AW55-50SN / AW55-51SN Pinion To Bearing #283 (.077" Thick) 2.775"OD (1.935"ID) 2000-Up | 1 | |
| 89277A | Use 89279A | 1 | |
| 89279A | Cone Bearing, AW55-50SN / AW55-51SN Driven Transfer (30 Rollers) 2.085"ID (.525" Thick) (Cast # NSK R-53-2) 2000-Up (Also Fits AW55-50SN/AW55-51SN Cone Bearing #277 2000-Up) | 2 | |
| 21280A | Cup Race, AW55-50SN / AW55-51SN Driven Transfer Gear (Both Sides) 3.467"OD (Cast # NSK R50-31A) 2000-Up | 2 | |
| 21281A | Cone Bearing, AW55-50SN / AW55-51SN Driven Transfer Gear (Both Sides) 30 Rollers (2.350"ID) (Cast # NSK R50-31) 2000-Up | 2 | |
| 89282A | Inner Race, AW55-50SN / AW55-51SN Pinion Bearing To Bell (1.789"OD) .805" Thick (KOYO 06NU0722C3) 2000-Up | 1 | |
| 89283A | Roller Bearing, AW55-50SN / AW55-51SN (Volvo, GM, Saturn) Bell To Underdrive Planet (2.795"OD) .865" Thick (RNU090722) (16 Rollers) 2000-Up | 1 | |
| 21284A | Caged Needle Bearing, AW55-50SN / AW55-51SN Rear Cover To 4-5 Planet Shaft (11 Needles) .528" Thick (2.125"OD) (Cast # KOYO RNU060514) (Stays In Rear Cover) 2000-Up | 1 | |
| 21288A | Cup Race, AW55-50SN / AW55-51SN Differential Housing To Case (.765" Thick) 3.386"OD (Cast # KOYO ST4286-N or G) 2000-Up | 1 | |
| 21289A | Cone Bearing, AW55-50SN / AW55-51SN Differential Housing To Case (24 Rollers) 2.165"ID (Cast # KOYO ST5586) 2000-Up | 1 | |
| 21290AA | Shim, AW55-50SN / AW55-51SN Differential Bearing To Case (Selective) 3.373"OD (2.282"ID) 2000-Up | 1 | |

| | | |
|--------|---|---|
| 21291A | Cup Race, AW55-50SN / AW55-51SN Differential To Bell Housing (3.542"OD)..... | 1 |
| | (Cast # KOYO ST5790-9) 2000-Up | |
| 21292A | Cone Bearing, AW55-50SN / AW55-51SN Differential To Bell Housing (27 Rollers) | 1 |
| | 2.245"ID (Cast # KOYO ST5790) 2000-Up | |
| 21294A | Caged Needle Bearing, AW55-50SN / AW55-51SN Linkage (.925" Long, .708"OD) | 1 |
| | (Cast # NSK 0C501204) 2000-Up | |

| PART # | GASKETS & RUBBER COMPONENTS | QTY | REFERENCE # |
|--------|-----------------------------|-----|-------------|
|--------|-----------------------------|-----|-------------|

| | | |
|---------|--|-----|
| 21301A | Gasket, AW55-50SN / AW55-51SN Pan (9 Bolt) 2000-Up..... | 1 |
| 21308A | Gasket, AW55-50SN/AW55-51SN Line Pressure Control Accumulator Cover 2000-Up | 1 |
| 67311B | O-Ring, AW55-50SN / AW55-51SN Pump | 1 |
| 21312A | Gasket, AW55-50SN Valve Body Cover 2000-Up..... | 1 |
| 21316A | Gasket, AW55-50SN/AW55-51SN Lock-Up Relay Valve Cover 2000-Up..... | 1 |
| 21320A | Gasket, AW55-50SN/AW55-51SN Front Valve Body To Spacer Plate 2000-Up..... | 1 |
| 21320AK | Gasket Set, AW55-50SN / AW55-51SN Valve Body 2000-Up | 1 |
| 21321A | Gasket, AW55-50SN/AW55-51SN Front Valve Body Spacer Plate To Middle Valve Body 2000-Up | 1 |
| 21322A | Gasket, AW55-50SN/AW55-51SN (Volvo/Renault) Middle Valve Body To Middle Valve Body Spacer Plate 2000-Up..... | 1 |
| 21322C | Gasket, AW55-50SN/AW55-51SN (All Except Volvo/Renault) Middle Valve Body To Middle Valve Body Spacer Plate 2000-Up..... | 1 |
| 21323A | Gasket, AW55-50SN/AW55-51SN (Volvo/Renault) Middle Valve Body Spacer Plate To #1 Rear Valve Body 2000-Up..... | 1 |
| 21323C | Gasket, AW55-50SN/AW55-51SN (All Except Volvo/Renault) Middle Valve Body Spacer Plate To # 1 Rear Valve Body 2000-Up..... | 1 |
| 21324A | Gasket, AW55-50SN/AW55-51SN #1 Rear Valve Body To #2 Rear Valve Body Spacer Plate 2000-Up | 1 |
| 21327A | Gasket, AW55-50SN/AW55-51SN # 2 Rear Valve Body Spacer Plate To # 2 Rear Valve Body 2000-Up | 1 |
| 21344A | Seal, AW55-50SN / AW55-51SN Case To Rear Cover (.113" Thick) (.590"OD) 2000-Up | 5-7 |
| | (Also Valve Body To Case (Takes 2) 2000-Up) | |

| PART # | TECHNICAL MANUALS | QTY | REFERENCE # |
|--------|-------------------|-----|-------------|
|--------|-------------------|-----|-------------|

| | | |
|--------|---|---|
| 21400A | Technical Manual, AW55-50SN | 1 |
|--------|---|---|

| PART # | ELECTRICAL COMPONENTS | QTY | REFERENCE # |
|--------|-----------------------|-----|-------------|
|--------|-----------------------|-----|-------------|

| | | |
|--------|--|---|
| 21410A | Switch, AW55-50SN (Volvo) PRNDL (With Wire Harness With 9 Prong Connector) 2000-Up | 1 |
| 21410B | Switch, AW55-51SN (Volvo) PRNDL (With Wire Harness With 7 Prong Connector) 2000-Up | 1 |
| 21410C | Switch, AW55-50SN (GM, Saturn) PRNDL (No Wire Harness) (With 9 Prong Connector) 2002-Up | 1 |
| 21421A | Solenoid, AW55-50SN 1-2 Shift (S1) (1 Prong Black Connector 5/8" Long) (.800"OD Body) (.750" To .850" Wide Bracket) 2000-Up | 1 |
| 21421B | Solenoid, AW55-51SN 1-2 Shift (S1) (1 Prong Black Connector 5/8" Long) (.800"OD Body) (.550" Wide Bracket) 2000-Up | 1 |
| 21422A | Solenoid, AW55-50SN / AW55-51SN 2-3 Shift (S3) (1 Prong Grey/Green Connector 5/8" Long) ..1 (.950"OD Body, 1/2 Plastic) (.560" Wide Bracket) 2000-Up | |
| 21423A | Solenoid, AW55-50SN / AW55-51SN 3-4 Shift (S2) (1 Prong Grey/Green Conector 5/8" Long)1 (.950"OD Body, 1/2 Plastic) (.560" Wide Bracket) 2000-Up | |
| 21425A | Solenoid, AW55-50SN / AW55-51SN TCC (2 Prong Black Connector 1 1/16" Long)..... | 1 |
| | (3 1/2" Long Overall) 2000-Up | |
| 21428A | Solenoid, AW55-50SN Line Pressure (SLT) (2 Prong Blue Connector 1 1/16" Long)..... | 1 |
| | (3 7/8" Long Overall) 2000-Up | |
| 21428B | Solenoid, AW55-51SN Line Pressure (SLT) (2 Prong Blue Connector 1 1/16" Long)..... | 1 |
| | (4" Long Overall) 2000-Up | |
| 21430A | Solenoid, AW55-50SN Reverse (S5) (1 Prong Green Connector 5/8" Long)..... | 1 |
| | (.950"OD Body, 1/2 Plastic) 2000-Up | |
| 21430B | Solenoid, AW55-51SN Reverse (S5) (1 Prong Red Connector 5/8" Long)..... | 1 |
| | (.808"OD Body, All Metal) 2000-Up | |
| 21435A | Solenoid, AW55-50SN Shift Pressure Control (2 Prong Green Connector 1 1/16" Long)..... | 1 |
| | (3 7/8" Long Overall) 2000-Up | |
| 21435B | Solenoid, AW55-51SN Shift Pressure Control (2 Prong Green Connector 1 1/16" Long)..... | 1 |
| | (4" Long Overall) 2000-Up | |
| 21438A | Sensor Set, AW55-50SN (Volvo) Input & Output (With Wire Harness & 4 Wire Connector) 2000-Up | 1 |
| 21438B | Sensor Set, AW55-50SN (Volvo) Input & Output (2 Blade Connector) (Wire Harness Is Not Made To Sensors) 2000-Up (Also Fits AW55-50SN (GM, Saturn) | |
| 21440A | Solenoid, AW55-50SN / AW55-51SN 4-5 Shift (S4) (1 Prong Blue Connector 5/8" Long)..... | 1 |
| | (.950"OD Body, 1/2 Plastic) 2000-Up | |

AW55-50SN / AW55-51SN (AF23/AF33/RE5F22A)

FWD 5 Speed

| PART # | ELECTRICAL COMPONENTS (Continued) | QTY | REFERENCE # |
|--------|--|-----|-------------|
| 21446A | Wire Harness, AW55-50SN (Volvo) Internal/External (With 2 Grey External Connectors, One Has 8 Wires And One Has 5 Wires With Pass Thru Case Connector and Internal Connectors With Temperature Sensor) 2000-Up | 1 | |
| 21446B | Wire Harness, AW55-51SN (Volvo) Internal/External (With One Brown 7 Wire And One Grey 6 Wire External Connector)(With Pass Thru Case Connector And Internal Connectors With Temperature Sensor) 2000-Up | 1 | |
| 21446C | Wire Harness, AW55-50SN (GM, Saturn) Intenal (With 13 Prong Case Connector) 2002-Up | 1 | |

| PART # | MISCELLANEOUS COMPONENTS | QTY | REFERENCE # |
|--------|---|-----|-------------|
| 21492A | Drain Plug, AW55-50SN (Hex Head) 2000-Up | 1 | |
| 21492B | Drain Plug, AW55-51SN (Hex Head) (Can Use 21492A) | 1 | |

| PART # | HARD PARTS | QTY | REFERENCE # |
|----------|---|-----|-------------|
| 89510A | Pump Body, AW55-50SN / AW55-51SN (.422" Thick Gear) (8 Bolt Cast Iron) 2000-Up | 1 | |
| 21520A | Stator, AW55-50SN / AW55-51SN (Aluminum) (.846"ID Bushing) (Uses A 2 Piece Piston # 962) (Uses A Pressure Plate # 89152A With 12 Spring Guides) 2000-Up | 1 | |
| 21520A-1 | Stator, AW55-50SN / AW55-51SN (Aluminum) (.876"ID Bushing)(Uses A 2 Pice Piston # 962) (Uses A Pressure Plate # 89152A With 12 Spring Guides) 2000-Up | 1 | |
| 21520AA | Stator, AW55-50SN / AW55-51SN (Aluminum) (Uses A 2 Piece Piston # 962) (Uses A Pressure Plate # 21152B With 8 Spring Guides) 2000-Up | 1 | |
| 89530A | Pump Gears, AW55-50SN / AW55-51SN (.422" Thick) 2000-Up | 1 | |
| 21544A | Pump Plate, AW55-50SN / AW55-51SN (.060" Thick) (8 7/16"OD) 2000-Up | 1 | |
| 21551A | Drum, AW55-50SN / AW55-51SN 4-5 Clutch (With 50 Teeth 1-2 Reverse Sun Gear And 32 Teeth 4-5 Sun Gear)(4 Clutch With 6 Holes In Band Surface) 2000-Up | 1 | |
| 21554A | Drum, AW55-50SN Forward & Direct Clutch (20 Splines) (7 Lube Holes In Shaft) 2000-Up | 1 | |
| 21554B | Drum, AW55-51SN Forward & Direct Clutch (20 Splines) (6 Lube Holes In Shaft) 2000-Up | 1 | |
| 89554B | Drum, AW55-50SN Forward & Direct Clutch (20 Splines)(11" Long Shaft)(12 Teeth Steels)(With 8 Lube Holes In Shaft) (.846"OD Of Bushing Lands On Shaft) | 1 | |
| 89554BA | Drum, AW55-50SN Forward & Direct Clutch (20 Splines)(11" Long Shaft)(12 Teeth Steels)(With 8 Lube Holes In Shaft)(.876"OD Of Bushing Lands On Shaft) | 1 | |
| 21561A | Piston Kit, AW55-50SN / AW55-51SN 4-5 Clutch 2000-Up | 1 | |
| 21562A | Piston Kit, AW55-50SN 2nd Clutch (With 12 Spring Retainer) 2000-Up | 1 | |
| 21562B | Piston Kit, AW55-51SN 2nd Clutch (With 8 Spring Retainer) 2000-Up | 1 | |
| 21564A | Piston Kit, AW55-50SN Forward & Direct Clutch (Direct Piston Is .505" Thick At The Edge) 2000-Up | 1 | |
| 21564B | Piston Kit, AW55-51SN Forward & Direct Clutch (Direct Piston Is .487" Thick At The Edge) 2000-Up | 1 | |
| 21566A | Piston Kit, AW55-50SN / AW55-51SN 1-2 Reverse Clutch 2000-Up | 1 | |
| 89567A | Piston Kit, AW55-50SN Low/Reverse (1.222" Thick x 6 1/4"OD Piston) 15 Spring Retainer (.775" Thick) (6 5/16"OD Snap Ring) 2000-Up | 1 | |
| 21567B | Piston Kit, AW55-51SN Low/Reverse Clutch (1.175" Thick) (6 1/4"OD Piston) 2000-Up | 1 | |
| 21569A | Piston Kit, AW55-50SN / AW55-51SN 2nd Coast Clutch (Cast # B1-3) 2000-Up | 1 | |
| 21569AA | Piston Kit, AW55-50SN / AW55-51SN 2nd Coast Clutch (Cast # B1-4) 2000-Up | 1 | |
| 21572A | Hub, AW55-50SN / AW55-51SN 2nd Coast Clutch (40 Teeth) (2.515"ID) 2000-Up | 1 | |
| 21579A | Hub, AW55-50SN With Inner Race (Uses A Metal Washer #211) 2000-Up | 1 | |
| 21579B | Hub, AW55-51SN With Inner Race (Uses A Plastic Washer #211) 2000-Up | 1 | |
| 21584A | Planet, AW55-50SN (Volvo) Rear (8 Gear Steel) (Uses A 25 Teeth Sun Gear #614) 2000-Up | 1 | |
| 21584B | Planet, AW55-51SN (Volvo, GM, Saturn) Rear (8 Gear Steel) (Uses A 27 Teeth Sun Gear #614) 2000-Up | 1 | |
| 21586A | Planet, AW55-50SN / AW55-51SN 4-5 (5 Gear) Uses A 32 Teeth Sun Gear (With 9" Long Shaft) 2000-Up | 1 | |
| 21587A | Planet, AW55-50SN / AW55-51SN 1-2 Reverse (5 Gear) Uses A 50 Teeth Sun Gear (1.284" Thick) 2000-Up | 1 | |
| 21592A | Ring Gear, AW55-50SN (Volvo/GM/Saturn) Rear Planet (83 Teeth) (1.105" Thick) 2000-Up | 1 | |
| 21592B | Ring Gear W/Hub, AW55-51SN (Volvo) Rear Planet (87 Teeth) (1.030" Thick) (Comes With 2 Snap Rings #882) 2000-Up | 1 | |
| 21594A | Ring Gear, AW55-50SN (Volvo, GM) Rear Planet (2.085" Thick) 33 Lugs (99 Teeth) For Lug Type Sprag 2000-Up | 1 | |
| 21594B | Ring Gear, AW55-51SN (Volvo, SAturn) Rear Planet (2.160" Thick) 33 Lugs (87 Teeth) For Roller Sprag 2000-Up | 1 | |
| 21596A | Ring Gear, AW55-50SN / AW55-51SN 4-5 Planet (67 Teeth) (1.198" Thick) 2000-Up | 1 | |

AISIN WARNER

| | | |
|---------|--|---|
| 21597A | Ring Gear, AW55-50SN 1-2 Reverse Planet (82 Teeth) .120" Deep Pocket Where Bearing #248 Rides 2000-Up | 1 |
| 21597B | Ring Gear, AW55-51SN 1-2 Reverse Planet (82 Teeth) .150" Deep Pocket Where Bearing #248 Rides 2000-Up | 1 |
| 21602A | Hub, AW55-50SN Rear Planet Ring Gear (83 Teeth) 1.900"ID (4 Holes) 2000-Up | 1 |
| 89604A | Ring Gear Hub, AW55-50SN (99 Teeth) (4.740"ID) 2000-Up | 1 |
| 21604B | Ring Gear Hub, AW55-51SN (87 Teeth) (1.880"ID) 2000-Up | 1 |
| 21612A | Sun Gear, AW55-50SN With Direct Clutch Hub (37 Teeth) (28 Spline Hub) (2.055" Tall) (.850"ID Of Bushing) 2000-Up | 1 |
| 21612AA | Sun Gear, AW55-50SN With Direct Clutch HUb (37 Teeth) (28 Spline Hub) (2.055" Tall) (.876"ID Of Bushing) 2000-Up | 1 |
| 21614A | Sun Gear, AW55-50SN Rear (25 Teeth) (4 1/2" Long) (.850"ID Of Bushing) 2000-Up | 1 |
| 21614AA | Sun Gear, AW55-50SN Rear (25 Teeth) (4 1/2" Long) (.876"ID Of Bushing) 2000-Up | 1 |
| 21614B | Sun Gear, AW55-51SN Rear (27 Teeth) (6 3/4" Long With Sun Gear And Hub # 612) 2000-Up | 1 |

| ART # | SPRAGS & ONE WAY CLUTCHES | QTY | REFERENCE # |
|--------|--|-----|-------------|
| 89652 | Sprag, AW55-50SN / AW55-51SN 2nd Sprag (18 Elements) (.525" Thick) 2000-Up (Can Use 97652) | 1 | |
| 97652 | One Way Clutch, AW55-50SN/AW55-51SN 2nd Sprag | 1 | |
| 21654A | Use 67654A | 1 | |
| 67654A | Sprag, AW55-50SN Low Sprag (20 Elements)(4.810"OD) | 1 | |
| 21654B | Sprag, AW55-51SN Low (20 Elements) (Plastic Cage) 2000-Up | 1 | |
| 21664A | Inner Race, AW55-50SN (Volvo, GM) Low Sprag (Lug Type Sprag) 2000-Up | 1 | |
| 21664B | Inner Race, AW55-50SN / AW55-51SN (Volvo, Saturn) Low Sprag (Roller Type Sprag) 2000-Up | 1 | |

| PART # | HARD PARTS (Continued) | QTY | REFERENCE # |
|--------|--|-----|-------------|
| 21690A | Parking Gear, AW55-50SN / AW55-51SN (18 Lugs) .513" Thick Lugs (4.883"OD) 2000-Up | 1 | |
| 21696A | Crush Sleeve, AW55-50SN / AW55-51SN (.485" Thick) 2.675"OD (2.395"ID) 2000-Up | 1 | |
| 89696B | Crush Sleeve, AW55-50SN / AW55-51SN Drive Transfer Bearings (2.108"ID) (.480" Thick) 2000-Up | 1 | |
| 21698A | Oil Deflector, AW55-50SN / AW55-51SN (Volvo) Differential (4 Bolt) (Goes In The Bell Housing) (2 5/8" Tall) (Bottom Bolt Is Flush On Lip) 2000-Up | 1 | |
| 21698C | Oil Deflector, AW55-50SN (GM) Differential (4 Bolt) (Goes In Bell Housing) (3 1/2" Tall) 2005-Up | 1 | |
| 21698D | Oil Deflector, AW55-50SN (Saturn) Differential (4 Bolt) (Goes In Bell Housing) (2 5/8" Tall) (Bottom Bolt Is Countersunk In Lip) | 1 | |
| 21699A | Oil Deflector, AW55-50SN / AW55-51SN (Volvo) Differential (2 Bolt) (Goes In Case) 2000-Up | 1 | |
| 21699C | Oil Deflector, AW55-50SN (GM, Saturn) Differential (3 Bolt) (Goes In Case) 2002-Up | 1 | |
| 21710A | Gear, AW55-50SN / AW55-51SN Drive Transfer (56 Teeth, 3 Groove) (.790" Thick) 2.315" Tall (20 Splines) 2000-Up | 1 | |
| 89711A | Sleeve, AW55-50SN / AW55-51SN Drive Transfer Bearing Retainer (3.928"OD) (1.551" Thick) 2000-Up | 1 | |
| 21712A | Gear, AW55-50SN / AW55-51SN (Volvo, Saturn) Driven Transfer (57 Teeth, 4 Grooves) (6 1/4"OD) 2000-Up | 1 | |
| 21712C | Gear, AW55-50SN (GM) Driven Transfer (57 Teeth, 4 Grooves) 2005-Up | 1 | |
| 21715A | Differential W/Ring Gear, AW55-50SN (Volvo) (61 Teeth, 1 Groove) 12 Bolt (24 Roller Bearing On Ring Gear Side And 27 Roller Bearing On Bell Housing Side) (Housing Is 7 1/8" Tall With 4 Windows) 2000-Up | 1 | |
| 21715B | Differential W/Ring Gear, AW55-51SN (Volvo) (59 Teeth, 2 Groove) 12 Bolt (24 Roller Bearing On Ring Gear Side And 27 Roller Bearing On Bell Housing Side) 2000-Up | 1 | |
| 21715C | Differential W/Ring Gear, AW55-50SN (GM) (61 Teeth, 5 Groove) 12 Bolt (24 Roller Bearing On Ring Gear Side & 27 Roller Bearing On Bell Housing Side) (Housing Is 5 1/4" Tall With 4 Windows) 2005-Up | 1 | |
| 21715D | Differential W/Ring Gear, AW55-50SN (Saturn) (61 Teeth, 3 Groove) 12 Bolt (24 Roller Bearing On Ring Gear Side & 27 Roller Bearing On Bell Housing Side) (Housing Is 8 1/4" Tall With 2 Windows) (AWD) 2002-Up | 1 | |
| 21716A | Differential Housing, AW55-50SN / AW55-51SN (Volvo) (12 Bolt) 7 1/8" Tall (24 Roller Bearing On Ring Gear Side And 27 Roller Bearing On Differential Housing Side) (With 4 Windows) 2000-Up | 1 | |
| 21716C | Differential Housing, AW55-50SN (GM) 12 Bolt (5 1/4" Tall) (24 Roller Bearing On Ring Gear Side & 27 Roller Bearing On Differential Housing Side) (With 4 Windows) 2005-Up | 1 | |
| 21716D | Differential Housing, AW55-50SN (Saturn) 12 Bolt (8 1/2" Tall) AWD (24 Roller Bearing On Ring Gear Side & 27 Roller Bearing On Differential Side) (With 2 Windows) 2002-Up | 1 | |
| 21720A | Ring Gear, AW55-50SN Differential (61 Teeth, 1 Groove) (12 Bolt) 2000-Up | 1 | |
| 21720B | Ring Gear, AW55-51SN Differential (59 Teeth, 2 Groove) (12 Bolt) 2000-Up | 1 | |

| PART # | HARDPARTS (Continued) | QTY | REFERENCE # |
|---------|---|-----|-------------|
| 21730A | Pinion Gear, AW55-50SN (25 Teeth, 1 Groove) 1.590" Thick (3.670"OD) 2000-Up | 1 | |
| 21730B | Pinion Gear, AW55-51SN (26 Teeth, 2 Groove) 1.590" Thick (3.835"OD) 2000-Up | 1 | |
| 21740A | Valve Body, AW55-50SN (Volvo) (8 Solenoids) Cast # 9165 (With 2 Black, 2 Blue, 2 Grey And 2 Green Connectors) 2000-Up | 1 | |
| 21740AA | Valve Body, AW55-50SN (Volvo & Nissan, Late) (Cast # B Or C) | 1 | |
| 21740B | Valve Body, AW55-51SN (Volvo) (8 Solenoids) Cast # 9167 & 9168 (With 2 Black, 2 Blue, 2 Grey, 1 Green And 1 Red Connector) 2000-Up | 1 | |
| 21740C | Valve Body, AW55-50SN (GM/Saturn) (8 Solenoids) Cast # 9165, 9167, 9168 (With 3 Black, 2 Blue, 1 Grey, 1 Green & 1 Red Connector) 2000-Up | 1 | |
| 21740F | Valve Body, AW55-50SN (Nissan) 2005-Up | 1 | |

| PART # | VALVE BODY COMPONENTS | QTY | REFERENCE # |
|----------------|---|-----|-------------|
| S21741ACK | Valve & Sleeve Kit, AW55-50SN Lock-Up Relay Control (Sonnax) | 1 | |
| S21741ADK | Valve & Sleeve Kit, AW55-50SN Solenoid Relay (Sonnax) | 1 | |
| S21741CAK | Valve & Spring Kit, AW55-50SN/AW55-51SN Secondary Regulator Valve (Sonnax)(Must Use Tool #T-F-59947-TL16) | 1 | |
| T-F-59947-TL16 | Tool For S21741CAK | 1 | |
| S21741CCK | Valve & Sleeve Kit, AW55-50SN Lock-Up Control (Sonnax) | 1 | |
| S21741DDK | Valve & Sleeve Kit, AW55-50SN Solenoid Modulator Valve Capsule Kit (Valve, Sleeve, & Spring) (Sonnax) | 1 | |
| S21741H-1K | Valve Kit, AW55-50SN B4 Release (Contains: Valve, Spring, End Plug & O-Rings)(Sonnax) (Must Use T-F-59947-TL26) | 1 | |
| T-F-59947-TL26 | Tool For S21741H-1K | 1 | |
| S21741LK | Piston Kit, AW55-50SN/AW55-51SN Line Pressure Control Accumulator (Sonnax) (Contains: Piston, 2 O-Rings & 2 Springs) | 1 | |
| S21741PK | Valve & Sleeve Assembly, AW55-50SN Oversized Pressure Regulator Valve & Spring With Main Boost Valve & Sleeve)(Sonnax)(Must Use /tool # T-F-59947-TL12) | 1 | |
| T-F-59947-TL12 | Tool, Used With S21741PK | 1 | |
| S21741Q-6K | End Plug Kit, AW55-50SN/AW55-51SN (Sonnax)(Contains: Four 9mm End Plugs, One 11mm End Plug, 6 Small O-Rings & 2 Large O-Rings) | 1 | |
| S21741RK | Valve & Sleeve Kit, AW55-50SN Main Boost (Sonnax) | 1 | |

| PART # | HARDPARTS (Continued) | QTY | REFERENCE # |
|---------|---|-----|-------------|
| 21746A | Cover, AW55-50SN / AW55-51SN Valve Body (2 Bolt, Aluminum) Cast #35475-50A010 2000-Up | 1 | |
| 21750A | Bell Housing, AW55-50SN (Volvo) (5" Top Bolts) 2.958"OD Axle Seal (4 1/2" Thick) With 8 Threaded Holes Around Axle Seal (Cast # 9165) (Starter At 2:00) 2000-Up | 1 | |
| 21750B | Bell Housing, AW55-51SN (Volvo) (3" Top Bolts) 2.480"OD Axle Seal (4 7/8" Thick) Uses An External Oil Cooler 2000-Up | 1 | |
| 21750C | Bell Housing, AW55-50SN (GM) (5" Top Bolts) (2.145"OD Axle Seal)(4 11/16" Thick) (With 4 Threaded Holes Around Axle Seal) (Cast # 9191) (Starter At 3:00) 2005-Up | 1 | |
| 21750D | Bell Housing, AW55-50SN (Saturn) (5" Top Bolts) (2.400"OD Axle Seal) 5" Thick (With 6 Threaded Holes Around Axle Seal) (Cast # 9194) (Starter At 4:00) 2002-Up | 1 | |
| 21759A | Rear Cover, AW55-50SN (Volvo, GM, Saturn)(12 Bolt) (With .735"OD Bearing #223)(No Threaded Bosses At 12:00) 2000-Up (Can Use 21759AA) | 1 | |
| 21759AA | Rear Cover, AW55-50SN (Volvo/GM Saturn) (12 Bolt, With .735"OD Bearing # 223)(With 3 Threaded Bosses At 12:00) 2000-Up | 1 | |
| 21759B | Rear Cover, AW55-51SN (Volvo) (12 Bolt) (With .835"OD Bearing #223) (With 3 Threaded Bosses At 12:00) 2000-Up | 1 | |
| 21759BA | Rear Cover, AW55-51SN (Volvo)(12 Bolt)(With .835"OD Bearing #223)(No Threaded Bosses At 12:00) 2000-Up (Can Use 21759B) | 1 | |
| 21760A | Case, AW55-50SN (Volvo) (Black Tag) (With 3 Threaded Bosses Above Axle Seal And 1 Big Boss On Linkage Side) 2000-Up | 1 | |
| 21760B | Case, AW55-51SN (Nissan/Volvo) (Red Tag) 2000-Up (These Cases Are Sleeved) | 1 | |
| 21760C | Case, AW55-50SN (GM) (Brown Tag) (No Bosses Above Axle Seal And 3 Big Bosses On Linkage Side) (All The Same Height) 2005-Up | 1 | |
| 21760D | Case, AW55-50SN (Saturn) (Tan Tag) (No Bosses Above Axle Seal And Big Bosses On Linkage Side)(1 Boss Is Taller) 2002-Up | 1 | |
| 21760E | Case, AW55-51SN (Saab) (Yellow Tag) 2002-Up (These Cases Are Sleeved) | 1 | |
| 21766A | Pan, AW55-50SN (Volvo) Side (9 Bolt) (With Screw In Vent Fitting) 2000-Up | 1 | |
| 21766B | Pan, AW55-51SN (Volvo) Side (9 Bolt) (With Welded On Vent Tube) 2000-Up | 1 | |
| 21766C | Pan, AW55-50SN (GM) Side (9 Bolt No Vent) 2005-Up | 1 | |
| 21776AK | Bolt Set, AW55-50SN / AW55-51SN Bell Housing To Case (17 Pieces) 2000-Up | 1 | |
| 21777AK | Bolt Set, AW55-50SN / AW55-51SN Pump To Case 2000-Up | 1 | |
| 21778AK | Bolt Set, AW55-50SN / AW55-51SN Pump Stator To Body 2000-Up | 1 | |
| 21780AK | Bolt Set, AW55-50SN / AW55-51SN Rear Cover To Case (13 Pieces) 2000-Up | 1 | |

| | | |
|---------|--|-----|
| 21782AK | Bolt Set, AW55-50SN / AW55-51SN Valve Body To Case (9 Pieces) 2000-Up | 1 |
| 21786AK | Bolt Set, AW55-50SN / AW55-51SN Differential Ring Gear To Housing (12 Pieces) 2000-Up | 1 |
| 21788AK | Bolt Set, AW55-50SN / AW55-51SN Side Pan (9 Pieces) 2000-Up | 1 |
| 21789B | Bolt, AW55-51SN Holds Oil Cooler To Bell Housing 2000-Up | 1 |
| 89795A | Nut, AW55-50SN / AW55-51SN Drive Transfer (2.375" At Flats) Right Hand Threads (2.000"ID) 2000-Up | 1 |
| 21796A | Nut, AW55-50SN / AW55-51SN Holds Pinion To 4-5 Planet Sahft (.965"ID) 2000-Up | 1 |
| 21854A | Cushion, AW55-50SN / AW55-51SN 1-2 Reverse Clutch (.041" Thick) 4.985"ID (5.630"OD) 2000-Up | 1 |
| 21858A | Cushion, AW55-50SN Direct Clutch (.032") 4 Teeth, Dished (3.600"ID) 2000-Up | 1 |
| 21864A | Snap Ring, AW55-50SN / AW55-51SN Holds 4-5 Clutch Pressure Plate In Drum (.078"Thick) (4.840"OD) 2000-Up | 1 |
| 21865A | Snap Ring, AW55-50SN / AW55-51SN Holds 4-5 Clutch Return Springs In Drum (.070" Thick) (2.135"OD) 2000-Up | 1 |
| 21868A | Snap Ring, AW55-50SN / AW55-51SN Holds 4-5 Planet Ring Gear To Driven Transfer Gear (.079"Thick) (4.775"OD) (With Bent Ends) 2000-Up | 1 |
| 21869A | Snap Ring, AW55-50SN / AW55-51SN Holds Driven Transfer Gear Cup Races Apart (.070" Thick) (3.660"OD) 2000-Up | 1 |
| 89870A | Snap Ring, AW55-50SN / AW55-51SN 2nd Coast Clutch And Direct Clutch #878 (4 9/16"OD) (.079" Thick) 2000-Up | 1-2 |
| 89871A | Snap Ring, AW55-50SN / AW55-51SN 2nd Coast Clutch (.040" Thick) (2.025"OD) 2000-Up | 1 |
| 89873A | Snap Ring, AW55-50SN / AW55-51SN Holds 2nd Brake Clutch Pressure Plate In (.062" Thick) (6 5/8"OD) 2000-Up | 1 |
| 21874A | Snap Ring, AW55-50SN / AW55-51SN Holds 2nd Clutch Piston Insert In Stator (.055" Thick) 4.775"OD (With Holes In Each End) 2000-Up | 1 |
| 21876A | Snap Ring, AW55-50SN / AW55-51SN Holds Forward Clutch Pressure Plate In Drum (.063" Thick) 5.850"OD (4.490"ID) 2000-Up | 1 |
| 21878A | Use 89870A | 1 |
| 89879A | Snap Ring, AW55-50SN / AW55-51SN Forward & Direct Clutch Retainer (.040" Thick) (2.030"OD) 2000-Up | 1 |
| 21882A | Snap Ring, AW55-50SN Holds Hub To Ring Gear (.054" Thick) (4.010"OD) 2000-Up | 1 |
| 89883A | Snap Ring, AW55-50SN / AW55-51SN Retainer To Case (.080" Thick) (3.548"OD) 2000-Up | 1 |
| 89884A | Snap Ring, AW55-50SN / AW55-51SN Low/Reverse Retainer (6 5/8"OD) (.047" Thick) 2000-Up | 1 |
| 21885A | Snap Ring, AW55-50SN / AW55-51SN Holds Low/Reverse Clutch Pressure Plate In Case (.063" Thick) (6 9/16"OD) 2000-Up | 1 |
| 21886A | Snap Ring, AW55-50SN Holds Low Sprag To Ring Gear (.039" Thick) (5.100"OD) 2000-Up | 1 |
| 21888A | Snap Ring, AW55-50SN Holds Sun Gear From Going Into The Planet Too Far (.057" Thick) (1.332"OD) 2000-Up | 1 |
| 89889A | Snap Ring, AW55-50SN / AW55-51SN Rear Hub To Ring Gear (.055" Thick) 5 1/4"OD (2 Holes In Ends) 2000-Up | 1 |
| 21892A | Snap Ring, AW55-50SN / AW55-51SN Holds 1-2 Reverse Clutch Pressure Plate In (.099" Thick) (5.900"OD) 2000-Up | 1 |
| 21893A | Snap Ring, AW55-50SN / AW55-51SN holds 1-2 Reverse Clutch Spring Retainer (.030" Thick) (2.808"OD) 2000-Up | 1 |
| 21905A | Servo Assembly, AW55-50SN 3rd Gear Band (With A 7/8" Thick Cover) (With 2 Stripe Pin) 2000-Up | 1 |
| 21905AA | Servo Assembly, AW55-50SN 3rd Gear Band (With A 7/8" Thick Cover)(With 1 Stripe Pin) 2000-Up | 1 |
| 21905B | Servo Assembly, AW55-51SN 3rd Gear Band (With A 2 1/2" Thick Cover) (With 1 Stripe Pin) 2000-Up | 1 |
| 21916A | Band Anchor, AW55-50SN / AW55-51SN 3rd Gear (With 5 Sided Head) 2000-Up | 1 |
| 21930A | Accumulator Assembly, AW55-50SN / AW55-51SN Forward & Direct Clutch (Piston Is .800"OD) 2000-Up | 1 |
| 21961A | Piston, AW55-50SN / AW55-51SN 4-5 Clutch (.475" Thick At The Edge) (4.500"OD) (1.970"ID) With Check Ball & 18 Spring Pockets 2000-Up | 1 |
| 21962A | Piston, AW55-50SN / AW55-51SN 2nd Clutch (Aluminum) .492" Thick (5.590"ID) 6 1/4"OD (No Inner O-Ring Groove) 2000-Up | 1 |
| 21962AA | Piston Insert, AW55-50SN / AW55-51SN 2nd Clutch (.315" Thick) 4.895"ID (5.580"OD) 2000-Up | 1 |
| 21964A | Piston, AW55-50SN Forward Clutch (1.850" Thick At Edge) (With 2 Check Balls) 2000-Up | 1 |
| 21964B | Piston, AW55-51SN Forward Clutch (1.790" Thick At Edge) (With 2 Check Balls) 2000-Up | 1 |

AW55-50SN / AW55-51SN (AF23/AF33/RE5F22A) FWD 5 Speed

| PART # | HARDPARTS (Continued) | QTY | REFERENCE # |
|--------|---|-----|-------------|
| 21965A | Piston, AW55-50SN Direct Clutch (Aluminum) .505" Thick At Edge (With Check Ball, 16 Spring Pockets) 2000-Up | 1 | |
| 21965B | Piston, AW55-51SN Direct Clutch (Aluminum) .487" Thick At Edge (With Check Ball, 16 Spring Pockets) 2000-Up | 1 | |
| 21966A | Piston, AW55-50SN / AW55-51SN 1-2 Reverse Clutch (.425" Thick At The Edge) 2.725"ID (5.505"OD) (With 22 Spring Pockets) 2000-Up | 1 | |
| 89967A | Piston, AW55-50SN Low/Reverse Clutch (1.222" Thick) (6 1/4"OD) 2000-Up | 1 | |
| 21967B | Piston, AW55-51SN Low/Reverse Clutch (1.175" Thick) (6 1/4"OD) 2000-Up | 1 | |
| 21969A | Piston, AW55-50SN / AW55-51SN 2nd Coast Clutch (Aluminum) (.500" Thick) 2.035"ID (4.240"OD) (With 15 Spring Pockets) 2000-Up | 1 | |
| 21976A | Spring W/Retainer, AW55-50SN / AW55-51SN 1-2 Reverse Clutch Return (22 Springs) 2.680"ID (3.988"OD) 2000-Up | 1 | |
| 21981A | Spring W/Retainer, AW55-50SN / AW55-51SN 4-5 Clutch Return (18 Springs) .792" Thick (3.105"OD) 1.930"ID 2000-Up | 1 | |
| 89982A | Retainer W/Springs, AW55-50SN 2nd Brake Clutch (12 Springs) 4.875"ID (5.800"OD) 2000-Up | 1 | |
| 21982B | Retainer W/Springs, AW55-51SN 2nd Clutch (8 Springs) 4.875"ID (5.800"OD) 2000-Up | 1 | |
| 89985A | Springs W/Retainer, AW55-50SN / AW55-51SN Forward & Direct Clutch Return (16 Springs) .950" Thick (3.125"OD) 1.840"ID 2000-Up | 1 | |
| 89987A | Retainer W/Springs, AW55-50SN / AW55-51SN Low/Reverse Clutch (.775" Thick) 6 5/16"OD (15 Springs) 2000-Up | 1 | |
| 89989A | Retainer W/Springs, AW55-50SN / AW55-51SN 2nd Coast Clutch (15 Springs) 1.840"ID (3.140"OD) 2000-Up | 1 | |
| 21991A | Linkage Assembly, AW55-50SN / AW55-51SN (Internal) (5 Pieces) 2000-Up | 1 | |
| 21995A | Park Pawl Assembly, AW55-50SN / AW55-51SN (6 Pieces) 2000-Up | 1 | |
| 21998B | Oil Cooler, AW55-51SN External (1 Bolt) (3 7/8"OD) 2000-Up | 1 | |
| 21999A | Oil Tube Set, AW55-50SN / AW55-51SN (3 Pieces) 2000-Up | 1 | |

